

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1 Ceres													
I	Prograde rotation								-----				Mor77
I	Prograde rotation								-----				Han77
P	270° +36° —P—								-----				Joh+83
R	Concentric ring region ⁶								-----				Ost87
S	—S—	332° +70°	—S—	—S—	—S—	—S—	—S—	-----					Sai+93
S		298° +78°				186° -58°		-----	1.08	1.06	X ³⁶		Dru+98
S	————	7° +83°	————	————	————	————	————	0.378088	1.00	1.08			Car+08
S	————	352° +80°	————	————	————	————	————	-----	1.00	1.07			Dru+08
Synthesis	————	355° +81°	————	————	————	————	————	0.378088	1.08	1.06			Synthesis
2 Pallas													
EZ		228° +43°	—E—					0.325440					Sch+76
I	Prograde rotation								-----				Mor77
I	Prograde rotation								-----				Han77
Z		211° +38°	31° -38°					-----					Bur+83
AM	44° +4°	148° +55°	224° -4°	328° -55°				-----	1.14	1.0 ¹			Zap+84
A		200° +40°	20° -40°					-----					Bin84
A		220° +15°	40° -15°					-----					Bin84
A	49° +6°	157° +53°	229° -6°	337° -53°				-----	1.14	1.0 ¹			Bur+85
R	Aspect circle ⁷								-----				Ost85
OEAI	—O—	227° +20°	—E—	—E—				0.325995	1.11	1.03			Lam85
OEA	—O—	54° -6°						0.32555136	1.06	1.05			Mag86
R	Concentric ring region ⁶								-----				Ost87
S	100° -22°	295° +16°	—S—	—S—				-----	1.10	1.01			Dr+89a
O	70° +15°	250° +15°	70° -15°	250° -15°				-----	1.11	1.30			Dr+89b
L		193° +43°	35° -12°					0.3255510	1.1	1.05 ³¹			Tor+03
S	————	————	32° -21°	————	————	————	————	-----	1.08	1.5			Dru+08
L	————	193° +44°	36° -13°	————	————	————	————	0.3255509					Hi+08
S	————	————	34° -27°	————	————	————	————	-----	1.09	1			Dru+09
S	————	————	30° -16°	————	————	————	————	-----	1.07	1.08			Car+10a
LO	————	————	35° -12°	————	————	————	————	0.3255513	shape ³¹				Dur+11
Synthesis	————	————	33° -17°	————	————	————	————	0.3255513	1.1	1.1			Synthesis
3 Juno													
EA	71° +49°		—E—					0.3004950					Cha+62
AM	101° +29°	321° +57°	141° -57°	281° -29°				-----	1.23	1.0 ¹			Zap+84
OEA	110° +40°	—O—	—E—	—E—				0.30040	1.20	1.02			Mag86
E	104° +36°	316° +62°	—E—	—E—				0.3003969					Bir+89
EAM	108° +34°		—E—	—E—				0.3003970	1.18	1.0 ²			Eri+93
EA	108° +38°		—E—	—E—				0.3003970	1.20	1.26			Dot+95
L	103° +27°		————	————	————	————	————	0.3003971	1.2	1.3 ³¹			Ka+02a
S	118° +30°		————	————	————	————	————	-----	1.2	1.07			Dru+08
LO	103° +27°		————	————	————	————	————	0.3003971	shape ³¹				Dur+11
Synthesis	110° +29°	————	————	————	————	————	————	0.3003971	1.2	1.2			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
4 Vesta														
EA	14°	+80°						—E—	0.2227006				Cai56	
EA	—E—		—E—			−90°		−90°	0.4453666	1.14	1.0 ¹		Hau58	
EA	57°	+74°						—E—	0.2225884				Cha+62	
E	126°	+65°						—E—	0.22258871				Geh67	
E	139°	+47°	333°	+39°				—E—	0.4451021		shape ²¹		Tay73	
I			Prograde rotation						-----				Mor77	
I			Prograde rotation						-----				Han77	
E	103°	+43°	301°	+33°				—E—	0.2225889				Tay+85	
E	120°	+65°	325°	+55°				—E—	0.22258849	1.01	1.4 ²		Mag86	
AM	85°	+58°	310°	+60°					-----	1.0 ¹	1.27	X ¹⁸	Cel+87	
S E	—S—		336°	+55°					0.2225887	1.10	1.14	X ²⁰	Dr+88a	
S	—S—		311°	+67°				—S—	-----	1.07	1.14		Dr+89a	
EA	160°	+52°	340°	+40°				—E—	0.2225885				Rey+93	
S	—		343°	+56°					-----	1.06	1.15		McC+94	
S	—S—		335°	+63°				—S—	-----	1.03	1.2		Tho+97	
S	—S—		319°	+59°				—S—	-----	1.03	1.2		Tho+97	
S	—		357°	+50°					0.2225887	1.05	1.26		Dru+98	
S	—		324°	+55°					-----	1.03	1.2		Dru+08	
S	—		326°	+59°					-----				Li+11	
S	—		326°	+58°					-----				Li+11	
Synthesis	—		326°	+58°					0.2225886	1.05	1.2		Synthesis	
5 Astraea														
E								328° −9°	0.7005047				Tay78	
AM	131°	+49°	328°	+46°	148°	−46°	310°	−49°	-----	1.29	1.0 ¹		Za+86b	
R			Concentric ring region ⁶							-----				Ost87
EA	125°	+46°	318°	+44°				—E—	0.700026	1.27			Eri+93	
EA	114°	+57°						—E—	0.700026	1.21	1.15		DeA95	
AM			312°	+58°	132°	−58°			-----	1.44	1.30		Bla+00	
SL	124°	+50°							0.7000345	1.11	1.10		Hi+08	
L*	126°	+40°	310°	+44°					0.700025		shape ³¹		Dur+09	
O	126°	+40°							0.700025		shape ³¹		Dur+11	
Synthesis	125°	+43°							0.700025	1.24			Synthesis	
6 Hebe														
A	145°	+15°						—E—	-----				Geh+62	
E			365°	+50°					0.3031020	1.15	1.0 ¹		Geh+77	
AM	130°	+33°	344°	+30°	164°	−30°	310°	−33°	-----	1.24	1.0 ¹		Zap+84	
OEA	—O—		355°	+50°				—E—	0.3031025	1.14	1.2		Mag86	
R			Concentric ring region ⁶							-----				Ost87
E			363°	+60°				—E—	0.3031024				Mic88	
EA			365°	+27°				—E—	0.3031023	1.13	1.06		DeA95	
EA	—O—		353°	+24°				—E—	0.3031026	1.14	1.00		Dot+95	
EA			check ⁵							-----				Lag+95
AM	128°	+30°					308°	−30°	-----	1.32	1.11		Bla+00	
L			339°	+45°					0.3031029	1.1	1.1 ³¹		Tor+03	
O			340°	+42°					0.3031029		shape ³¹		Dur+11	
Synthesis			340°	+43°					0.3031029	1.1	1.1		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
7 Iris													
EA			184° +55°	—E—					0.2967853		shape ⁹		Cai56
AM			193° +15°	13° -15°					-----				Geh+62
AM	11° +41°						191° -41°		-----	1.31	1.35		Tay77
EA	15° +25°		195° +15°	—E—	—E—				0.29745197	1.18	1.40		Mag86
AM	18° +33°		193° +16°	13° -16°			198° -33°		-----	1.19	1.21		Za+86b
R			Concentric ring region ⁶						-----				Ost87
EA	8° +35°		187° +5°	—E—	—E—				0.29745195	1.24	1.36		DeA95
R	15° +25°								-----				Mit+95
L	20° +10°		200° +10°	————	————				0.2974517	1.2	1.0 ³¹		Ka+02a
R	15° +25°		————	————	————				0.297450	1.1	1.2		Ost+10
LO	20° +14°		————	————	————		199° -2°		0.2974517		shape ³¹		Dur+11
Synthesis	18° +20°		————	————	————				0.297451	1.2	1.2		Synthesis
8 Flora													
A	157° +10°						—E—		-----				Geh+62
A	140°		320°	140°	320°				-----				Zap+83
A	148° +45°		328° +45°	148° -45°	328° -45°				-----	1.12	1		Hol+87
AM	135° +43°		327° +32°	147° -32°	315° -43°				-----	1.10	1.28		DiM+89
EA	139° +14°				319° -14°				-----	1.05	1.16		DeA95
AM	122° +37°				302° -37°				-----	1.097	1.062		Bla+98
L	160° +16°		————	————	————				0.533292	1.0	1.2 ³¹		Tor+03
LO	—O—		————	————	————		335° -5°		0.5361113		shape ³¹		Dur+11
Synthesis	—O—		————	————	————		335° -5°		0.5361113	1.05	1.2		Synthesis
9 Metis													
AM	156° +15°						336° -15°		-----				Geh+62
A			348° +76°	168° -76°					-----				Cha+62
AM	191° +56°						371° -56°		-----	1.30	1.70		Zap+79
AM	186° +43°		362° +26°	182° -26°	366° -43°				-----	1.32	1.34		Zap+84
R			Concentric ring region ⁶						-----				Ost87
EAM	183° +25°		361° +9°	—E—	—E—				0.2116324	1.27	1.26		Dr+88b
EAM	180° +30°		360° +20°	—E—	—E—				0.2116322	1.27	1.26		Mag90a
EAM	181° +23°		360° +7°	—E—	—E—				0.2116323	1.27	1.24		Dru+91
EA	185° +31°			—E—	—E—				0.2116323	1.31	1.22		DeA95
L	181° +23°		359° +9°	————	————				0.2116325	1.2	1.4 ³¹		Tor+03
SL	181° +23°		————	————	————				0.2116325	1.26	1.26		Ma+06
LO	180° +22°		————	————	————				0.2116323		shape ³¹		Dur+11
Synthesis	181° +23°		————	————	————				0.2116324	1.3	1.3		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
10 Hygiea													
I								Retrograde rotation	-----				Mor77
EA	—E—	—E—	112°	-41°	299°	-39°		1.152462	1.36	1.04			Mic+91
EA	—E—	—E—	100°	-34°	285°	-34°		1.150969	1.28	0.65			Eri+93
EAM	—E—	—E—	117°	-37°	304°	-35°		1.150977	1.30	1.18			Mic93
AM	118° +44°						298° -44°	-----	1.343	1.144			Bla+98
AM	122° +42°						302° -42°	-----	1.343	1.144			Bla+98
L	————	————	115°	-30°	300°	-30°		1.150967	1.3	1.1 ³¹			Ka+02a
L*	————	————	122°	-44°	312°	-42°		1.152463		shape ³¹			Ha+11
O	————	————	122°	-44°	312°	-42°		1.152460		shape ³¹			Dur+11
Synthesis	————	————	120°	-40°	310°	-40°		1.152462		shape ³¹			Synthesis
11 Parthenope													
AM	64° +38°	253° +51°	73°	-51°	244°	-38°		-----	1.225	1.208			Bla+98
L*	128° +14°	311° +14°	————	————				0.5717521		shape ³¹			Ha+13a
Synthesis	128° +14°	311° +14°	————	————				0.5717521		shape ³¹			Synthesis
12 Victoria													
A		242° +17°	62°	-17°				0.36060					Tem+69
R		Concentric ring region ⁶						-----					Ost87
EA	9° +55°	176° +40°	—E—	—E—				0.3608665	1.25	1.00			Dot+95
L	————	137° +55°	————	————				0.360829	1.3	1.3 ³¹			Tor+03
Synthesis	————	150° +50°	—E—	—E—				0.36085	1.3				Synthesis
13 Egeria													
AM	103° +13°					283° -13°		-----	1.43	1.26			Bla+00
L*	44° +21°	238° +11°	————	————				0.293611		shape ³¹			Ha+11
Synthesis	44° +21°	238° +11°	————	————				0.293611		shape ³¹			Synthesis
14 Irene													
AM		270° +34°	90°	-34°				-----	1.148	1.080			Bla+98
L*	————	————	97°	-22°	268°	-24°		0.6262462		shape ³¹			Ha+11
Synthesis	————	————	97°	-22°	268°	-24°		0.6262462		shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
15 Eunomia													
EA	—E—	—E—			−90°		−90°	0.253448					Gro+54
EA	—E—	—E—					337° −82°	0.25344810	1.51	?			Cai56
EA	—E—	—E—			−90°		−90°	0.253448					HG+58
EA	—E—	—E—			70° −74°			0.25344810					Cai60
EA	—E—	—E—			−90°		−90°	0.25336					Sca+75
A	164° +52°	————	————	————			344° −52°	-----	1.6	1.0 ¹			Pii+85
A	170° +57°	————	————	————			350° −57°	-----	1.6	1.4 ¹			Pii+85
E	Prograde rotation		—E—	—E—				0.25336					Lup+85
EA	—E—	—E—	106° −73°	351° −61°				0.25344806	1.50	1.0			Mag86
E	—E—	—E—	131° −71°	360° −50°				0.25344810					Mic88
EAM	—E—	—E—	82° −78°	352° −61°				0.25344805	1.40	1.06			Dr+88b
EA	—E—	—E—	108° −74°	350° −59°				0.25344808	1.44	1.0			Mag90a
EAM	—E—	—E—	106° −73°	————				0.25344806	1.44	1.02			Dru+91
EA	—E—	—E—	96° −63°	————				0.25344806	1.47	1.00			DeA92
E	—E—	—E—	Retrograde rotation					-----					Kru+92
EAM	—E—	—E—	102° −76°	354° −57°				0.25344814	1.36	1.20			Mic93
EA	—E—	—E—	106° −73°	————				0.25344806	1.47	1.00			DeA95
L	————	————	————	355° −65°				0.25344800	1.4	1.2 ³¹			Ka+02a
S	————	————	————	352° −58°				-----	1.76	1.0			Tan+03
Synthesis	—E—	—E—	106° −74°	353° −60°				0.25344808	1.42	1.1			Synthesis
16 Psyche													
EZ	————	225° +5°	—E—	—E—				0.17483120					Zho+82
Z		222° +4°	42° −4°					0.174831	1.3	1.3			Lup+83
AM	40° +23°	217° +31°	37° −31°	220° −23°				-----	1.32	1.26			Zap+84
E	41° +33°	223° +37°						0.1748143					Ted+85
AM	39° +35°	220° +40°	40° −40°	219° −35°				-----	1.33	1.33			Ted+85
EA	—E—	—E—	36° −21°	217° −14°				0.17483113	1.19	1.16			Mag86
R		Concentric ring region ⁶						-----					Ost87
EAM	—E—	—E—	————	215° −17°				0.17483117	1.27	1.35			Dr+88b
EAM	—E—	—E—	35° −19°	216° −12°				0.17483106	1.16	1.34			Mag90a
AMF	37° +0°	217° +8°	37° −8°	217° −0°				-----					Lum+90
AM	33° +25°	211° +29°	31° −29°	213° −25°				-----	1.39	1.38			Dot+92
EA	—E—	—E—	35° −27°	215° −22°				0.17483104	1.35 ²	1.36			DeA93
L	————	————	35° −9°	216° −2°				0.17483113	1.2	1.2 ³¹			Ka+02a
S	————	————	36° −3°	————				-----	1.00	1.54			Dru+08
LO	————	————	33° −7°	—O—				0.17483118	shape ³¹				Dur+11
Synthesis	————	————	35° −5°	————				0.17483118	1.1	1.3			Synthesis
17 Thetis													
AM	69° +43°	268° +55°	88° −55°	249° −43°				-----	1.25	1.35 ¹			Za+86b
EA	Prograde rotation		—E—	—E—				-----					Lag+95
EAM	—E—	—E—	————	253° −33°				0.5112699	1.40	1.40			Mic+95
L	58° +12°	240° +25°	————	————				0.5110845	1.3	1.0 ³¹			Tor+03
L*	55° +10°	236° +20°	————	————				0.511085	shape ³¹				Dur+09
LO	————	236° +20°	————	————				0.5110845	shape ³¹				Dur+11
Synthesis	————	237° +21°	————	————				0.5110845	1.3	1.0			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
18 Melpomene														
EA	—E—	—E—	0°	-0°	341°	-36°			0.482218				Hof+90	
L	—	—	199°	-24°	8°	-37°			0.482142	1.2	1.2 ³¹		Tor+03	
Synthesis	—	—	190°	-20°	355°	-37°			0.482142	1.2	1.2		Synthesis	
19 Fortuna														
I	Prograde rotation								-----				Mor77	
I	Prograde rotation								-----				Han77	
E	Prograde rotation		—E—	—E—					0.310125				Lup+85	
R	Concentric ring region ⁶								-----				Ost87	
EAM	65° +48°	—	—E—	—E—					0.3101343	1.24	0.94		Dr+88b	
E	70° +50°	250° +50°	—E—	—E—					0.3101342	1.21	1.1		Mag90a	
EAM	68° +52°	—	—E—	—E—					0.3101343	1.23	0.93		Dru+91	
EA	98° +51°	266° +48°	—E—	—E—					0.3101340	1.27	1.00		DeA95	
AM	65° +49°	244° +48°	64° -48°	245° -49°					-----	1.445	1.096		Bla+98	
L	98° +58°	277° +60°	—	—					0.3101342	1.2	1.05 ³¹		Tor+03	
Synthesis	80° +52°	260° +52°	—E—	—E—					0.3101342	1.2	1.0		Synthesis	
20 Massalia														
A	10° +78°				190°	-78°			-----				Cha+62	
AM	30° +49°	207° +51°	27° -51°	210° -49°					-----	1.27	1.0 ¹		Bar+85	
A	30° +54°	205° +79°	25° -79°	210° -54°					-----	1.25	2.4 ²		McC+85	
E	—E—	—E—							0.337419				Lup+85	
EA	20° +80°	200° +80°	—E—	—E—					0.3373993	1.16			Mag86	
E	Prograde rotation								—E—	—E—			-----	Kru+92
EA	31° +69°	208° +69°	—E—	—E—					0.3373994	1.27	1.00		Dot+95	
E	27° +38°	207° +38°	—E—	—E—					0.3373987				Sza+99	
L	10° +45°	189° +45°	—	—					0.33740475	1.1	1.1 ³¹		Ka+02a	
Synthesis	23° +59°	203° +60°	—E—	—E—					0.337399	1.15	1.1		Synthesis	
21 Lutetia														
E	Prograde rotation								—E—	—E—			0.340277	Lu+87a
AM	42° +40°	223° +48°	43° -48°	222° -40°					-----	1.25	1.09		Lu+87c	
EAM	55° +44°	241° +40°	—E—	—E—					0.3400260	1.30	1.7 ²		Mic92	
A	48° +31°	233° +38°	53° -38°	228° -31°					-----	1.29	1.25		Dot+92	
EAM	33° +9°	214° +15°	—E—	—E—					0.340244	1.25	2.7		Mic93	
EA	41° +42°		—E—	—E—					0.3400252	1.41	1.08		DeA95	
EA	50° +10°	230° +10°	—E—	—E—					0.340151	1.22	1.4		Lag+95	
EAM	—	240° +37°	—E—	—E—					0.3404874	1.26	1.15		Mic96a	
E	41° +51°	221° +51°	—E—	—E—					0.3402446				Sza+99	
R	48° +5°	228° +13°	—	—					-----	1.25	1.41		Mag+99	
L	39° +3°	220° +3°	—	—					0.3402272	1.2	1.2 ³¹		Tor+03	
SLO	—	—	52° -6°	—					0.3403445	shape ³¹			Car+10b	
S	—	—	45° -7°	—					-----	1.32	1.09		Dru+10	
SLO	—	—	52° -6°	—					-----	1.23	1.09		Dru+10	
Synthesis	—	—	52° -6°	—					0.3403445	1.25	1.1		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
22 Kalliope														
AM			215° +45°	35° -45°					-----	1.34	1.23		Sca+78	
AM	13° +17°		214° +42°	34° -42°	193° -17°				-----	1.34	1.18		Zap+84	
EAM			199° +14°	19° -11°					0.1728092	1.4	1.18		Mag86	
A			203° +29°	23° -29°					-----	1.33	1.24		Sur+86	
M			201° +22°	21° -22°					-----	1.32	1.13		Sur+86	
EAM	—E—	—E—			194° -8°				0.17284164	1.32	1.27		Dr+88b	
EAM				20° -23°	195° +2°				0.1728416	1.6	1.2		Mag90a	
EA	—E—	—E—		18° -23°					0.17284168	1.32	1.18		Mi+90a	
AMF	18° +0°		204° +23°	24° -23°	198° -0°				-----				Lum+90	
EAM	—E—	—E—			193° -7°				0.17284164	1.31	1.27		Dru+91	
EA	—E—				190° -1°				0.1728415	1.33	1.27		DeA92	
A	10° +12°		203° +45°	23° -45°	190° -12°				-----	1.32	1.18		Dot+92	
EA	—E—	—E—			190° -1°				0.17284154	1.33	1.27		DeA95	
L				20° -21°	197° +6°				0.17284167	1.2	1.2 ³¹		Ka+02a	
LO					196° +3°				0.17284167	shape ³¹			Dur+11	
Synthesis					196° +3°				0.17284167	1.2	1.2		Synthesis	
23 Thalia														
A D			Solution curve							-----	1.15 ²			Tan+91
EAM	198° +72°		354° +47°	—E—	—E—				0.5133960	1.18	1.45		Mic93	
EA	—E—	—E—		15° -55°	180° -35°				0.513202	1.28			Lag+95	
L				359° -55°					0.5130	1.1	1.3 ³¹		Tor+03	
Synthesis	—E—	—E—		7° -55°					0.5131	1.2	1.3		Synthesis	
24 Themis														
AM			274° +52°	94° -52°					-----	1.191	1.148		Bla+98	
L	120° +44°								0.349032	shape ³¹			Hi+08	
25 Phocaea														
L*			347° +10°						0.4139750	shape ³¹			Ha+13a	
Synthesis			347° +10°						0.4139750	shape ³¹			Synthesis	
26 Proserpina														
AM			227° -4°	47° -4°					-----	1.16	1.40		Bla+00	
AM			227° 0°	47° 0°					-----	1.16	1.40		Bla+00	
28 Bellona														
AM	93° +18°		285° +37°	105° -37°	273° -18°				-----	1.31	1.18		Zap+84	
EAM	73° +17°		265° +43°	—E—	—E—				-----	1.24	1.20		Mic93	
L*					-6°				0.654494	shape ³¹			Dur+09	
L*O			282° +6°	102° -8°					0.6544937	shape ³¹			Dur+11	
Synthesis			282° +6°	102° -8°					0.6544937	shape ³¹			Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
29 Amphitrite													
A	165° +45°	345° +45°	165° -45°	345° -45°	-----	1.14	1.0 ¹						Ted+81
A	160° +53°	320° +45°	140° -45°	340° -53°	-----	1.13	1.00						McC+84
AM	142° +50°	308° +40°	128° -40°	322° -50°	-----	1.13	1.0 ¹						Zap+84
EAM	—E—	—E—	135° -15°	320° -25°	0.22458835	1.06	1.06						Mag86
EAM	—E—	—E—	136° -33°	-----	0.2245882	1.13	1.14						Dr+88b
S	—S—	—S—	134° -36°	—S—	-----	1.22	1.06						Dr+89a
EAM	—E—	—E—	133° -17°	318° -25°	0.22458829	1.05	1.16						Mag90a
EA	—E—	—E—	145° -43°	-----	0.22458832	1.18	1.00						DeA95
L	-----	-----	138° -21°	-----	0.22458829	1.1	1.1 ³¹						Ka+02a
Synthesis	-----	-----	136° -28°	-----	0.2245883	1.1	1.1						Synthesis
30 Urania													
EAM	114° +34°	293° +33°	-----	-----	-----	1.5	1.1						Mic96a
L*	107° +23°	284° +20°	-----	-----	0.570299	shape ³¹							Dur+09
Synthesis	110° +25°	288° +25°	-----	-----	0.570299	shape ³¹							Synthesis
31 Euphrosyne													
AM	186° +67°	317° +4°	137° -4°	6° -67°	-----	1.12	1.0 ¹						Bar+85
A	178° +72°	315° +5°	135° -5°	358° -72°	-----	1.12	1.00						McC+85
EAM	—E—	—E—	126° -31°	-----	0.2316828	1.14	1.59						Mic93
A D	300° +75°	282° +30°	102° -30°	120° -75°	-----	1.08							Lic+94
EAM	—E—	—E—	-----	273° -60°	0.2304828	1.09	1.60						Kry+96
Synthesis	—E—	—E—	-----	273° -60°	0.2304828	1.09	1.60						Synthesis
32 Pomona													
AM	91° +34°	263° +46°	83° -46°	271° -34°	-----	1.34	1.0 ¹						Za+86b
EA	103° +59°	267° +70°	—E—	—E—	0.393652	1.4							Eri+93
EA	83° +33°	253° +43°	—E—	—E—	-----	1.76	1.00						DeA95
EA	89° +43°	260° +57°	—E—	—E—	0.393654	1.40	1.00						Dot+95
L	-----	267° +58°	-----	-----	0.39365287	1.3	1.3 ³¹						Ka+02a
Synthesis	92° +45°	262° +58°	-----	-----	0.393653	1.3							Synthesis
34 Circe													
AM	113° +17°	-----	-----	293° -17°	-----	1.32	1.00						Bla+00
L*	94° +35°	275° +51°	-----	-----	0.507274	shape ³¹							Dur+09
LO	94° +35°	275° +51°	-----	-----	0.5072742	shape ³¹							Dur+11
Synthesis	94° +35°	275° +51°	-----	-----	0.5072742	shape ³¹							Synthesis
36 Atalante													
AM	-----	299° +19°	119° -19°	-----	-----	1.282	1.000						Bla+98
37 Fides													
EA	100° +5°	280° -5°	-----	-----	0.305573	1.2							Mag86
L	-----	-----	85° -26°	264° -34°	0.3055622	1.1	1.05 ³¹						Tor+03
L*	89° +27°	270° +19°	-----	-----	0.3055221	shape ³¹							Ha+11
Synthesis	98° +27°	270° +19°	-----	-----	0.3055221	1.1	1.05						Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
39 Laetitia													
EA	—E—				280° -66°		0.2144712		shape ⁹				Cai56
A	114° +28°				294° -28°		-----						HG+58
EA	—E—				283° -61°		0.2144712		1.7 3.3				Cai60
AM	130° +10°				310° -10°		-----						Geh+62
M	121° +37°				301° -37°		-----		1.64 1.80				Sat76
A	128° +38°	339° +48°	159° -48°	308° -38°	-----		1.53 1.31 ²						McC+84
AM	116° +49°	338° +57°	158° -57°	296° -49°	-----		1.58 2.08						Zap+84
A	111° +56°	365° +70°	185° -70°	291° -56°	-----		1.53 3.1 ²						McC+85
E	Prograde rotation			—E—	—E—	0.21409						Lup+85	
EAM	129° +30°	324° +35°	—E—	—E—	0.21409332		1.49 1.49						Mag86
EAM	————	318° +26°	—E—	—E—	0.21409327		1.45 1.48						Dr+88b
EAM	130° +29°	325° +37°	—E—	—E—	0.21409333		1.50 1.50						Mag90a
AMF	125° +19°	317° +26°	137° -26°	305° -19°	-----								Lum+90
EAM	————	319° +28°	—E—	—E—	0.21409330		1.49 1.48						Dru+91
AMF	————	327° +36°	147° -36°	————	-----						X ¹⁶		Lum+91
EA	————	325° +23°	—E—	—E—	0.21409327		1.42 1.10						DeA95
L	————	323° +35°	————	————	0.21409321		1.4 1.4 ³¹						Ka+02a
O	————	323° +32°	————	————	0.21409325		shape ³¹						Dur+11
Synthesis	————	323° +33°	————	————	0.21409325		1.4						Synthesis
40 Harmonia													
A D			Solution curve		-----		1.31 ²						Tan+91
EAM	————	208° +21°	—E—	—E—	0.3712522		1.24 2.07						Mic93
EA	22° +28°	203° +38°	————	————	0.3711872		1.31 1						LGR99
EA	12° +34°	201° +41°	————	————	0.3712535		1.31 1						LGR99
L*	22° +31°	206° +39°	————	————	0.3711867		shape ³¹						Ha+11
Synthesis	22° +31°	206° +39°	————	————	0.3711867		1.3						Synthesis
41 Daphne													
AM	15° +36°	157° +28°	195° -36°	337° -28°	-----		1.51 1.00						Bar83
AM	19° +35°	159° +32°	199° -35°	339° -32°	-----		1.44 1.0 ¹						Bar+85
EA	—E—	—E—	186° -40°	335° -33°	0.2495001		1.30 1.0						Mag86
AM	18° +48°	135° +43°	198° -48°	315° -43°	-----		1.31 1.16						Za+86b
R	Concentric ring region ⁶			————	-----								Ost87
EAM	—E—	—E—	————	334° -32°	0.2494996		1.28 1.23						Dr+88b
EA	—E—	—E—	197° -36°	344° -38°	0.2494994		1.28 1.00						Mag90a
EAM	—E—	—E—	————	340° -32°	0.2494993		1.25 1.19						Dru+91
EA	—E—	—E—	190° -27°	343° -31°	0.24949931		1.37 1.00						DeA95
L	————	————	196° -31°	————	0.2494993		shape ³¹						Ka+02
LO	————	————	198° -32°	————	0.2494992		shape ³¹						Dur+11
Synthesis	————	————	197° -32°	————	0.2494992		1.3 1.1						Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
42 Isis													
AM			302° +36°	122° -36°					-----	1.419	1.000		Bla+98
EAM	—E—	—E—		117° -5°	288° -16°				0.5665417				Den+98
L	—	—		120° -14°	294° -23°				0.566542	1.1	1.0 ³¹		Tor+03
L*	106° +40°		302° +28°	—	—				0.565985	shape ³¹			Ha+11
Synthesis	106° +40°		302° +28°	—	—				0.565985	1.1	1.0		Synthesis
43 Ariadne													
A	73° +40°		249° +43°	69° -43°	253° -40°				-----	1.69	1.8 ²		McC+84
AM	73° +25°		248° +20°	68° -20°	253° -25°				-----	1.79	1.10		Bar+86
E	—E—	—E—		55° -16°	241° -21°				0.2400784				Mic88
EAM	78° +13°		256° +13°	—E—	—E—				0.2400924	1.40	1.10		Dr+88b
EA	—E—	—E—		68° -14°	251° -16°				0.2400828	1.76	1.01		Mag90a
EAM	—E—	—E—		—	248° -10°				0.2400830	1.60	1.24		Dru+91
EA	—E—	—E—		—	249° -14°				0.2400817	1.59	1.10		DeA92
E	—E—	—E—		Retrograde rotation					-----				Kru+92
AMD	72° +13°		250° +8°	70° -8°	252° -13°				-----	1.84	1.52		Det+92 ²⁵
EAMD			250° +1°	70° -1°					-----	1.0 ¹	1.0 ¹	X ¹⁵	Det+92 ²⁵
EAMD	73° +25°		248° +20°	68° -20°	253° -25°				-----	shape ¹⁴			Det+92 ²⁵
EAMD	70° +5°				250° -5°				-----	shape ¹⁴			Det+92 ²⁵
E	—E—	—E—		70° -22°	254° -24°				0.24008258				Det+92 ²⁵
EAM	—E—	—E—		68° -22°	253° -28°				0.2400824	1.64	1.16		Mic93
EA	—E—	—E—		—	249° -14°				0.2400817	1.59	1.10		DeA95
EA	—E—	—E—		—	251° -9°				0.2400824	1.68	1.10		Dot+95
E	—E—	—E—		71° -25°	251° -25°				0.2400818				Sza+99
L	—	—		—	253° -15°				0.24008275	1.6	1.2 ³¹		Ka+02a
S	—	—		—	252° -16°				-----	1.71	1.0		Tan+03
Synthesis	—	—	—	—	252° -16°				0.240082	1.6	1.1		Synthesis
44 Nysa													
EA			—E—	178° -84°					0.26737846	shape ⁹			Cai56
AM	105° +30°				285° -30°				-----				Geh+62
EA			358° +84°	—E—					0.26730938				Cha+62
AM	100° +50°				280° -50°				-----	1.58	1.30		Zap+79
E	100° +60°		265° +55°	—E—	—E—				0.26755902				Tay+83
EA	94° +59°		288° +63°	—E—	—E—				0.26755895				Mag83
AM	99° +49°		295° +54°	115° -54°	279° -49°				-----	1.51	1.18		Zap+84
EAM	105° +57°		300° +61°	—E—	—E—				0.26755902	1.37	1.4		Mag86
AMF	112° +46°		304° +47°	124° -47°	292° -46°				-----				Lum+90
EA	92° +47°		283° +49°	—E—	—E—				0.26755903	1.44	1.13		DeA93
L	98° +58°		—	—	—				0.26755904	shape ³¹			Ka+02
S	102° +50°		—	—	—				-----	1.61	1.0		Tan+03
Synthesis	100° +53°		296° +52°	—	—				0.26755903	1.44			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
45 Eugenia													
E	—E—	—E—	115°	-34°	286°	-26°			0.2374645				Tay+88
EAM	—E—	—E—	127°	-44°					0.2374646	1.33	1.65		Dr+88b
EAM	—E—	—E—	125°	-35°	296°	-26°			0.2374646	1.36	1.48		Mag90a
AMF	128° +16°	313° +25°	133°	-25°	308°	-16°			-----				Lum+90
A D			Solution curve						-----	1.42 ²			Tan+91
EA	—E—	—E—	109°	-27°					0.2374650	1.33	1.23		DeA95
EA			check ⁵						-----				Lag+95
EA	————	————	106°	-42°	313°	-41°			0.2374644	1.33	1.4		LGR99
L	————	————	124°	-30°					0.23746429	1.4	1.5 ³¹		Ka+02a
Synthesis	————	————	119°	-34°	301°	-27°			0.2374647	1.36	1.5		Synthesis
47 Aglaja													
EAM	139° +33°	313° +19°	—E—		—E—				0.549549	1.21	1.20		Mic96a
Synthesis	139° +33°	313° +19°	—E—		—E—				0.549549	1.21	1.20		Synthesis
48 Doris													
AM	113° +27°				293°	-27°			-----	1.445	1.000		Bla+98
51 Nemausa													
E F	—E—	—E—	133°	-61°		? ⁴			0.324368				Kri91
E F	—E—	—E—	166°	-62°		? ⁴			-----				Kri92
EA	176° +62°					356° -62°			-----	1.15	1.00		DeA95
E F			160°	-68°					0.3242890				Kri97
Synthesis			160°	-64°	365°	-62°			0.3243	1.15	1.0		Synthesis
52 Europa													
A	0° +37°	203° +38°	23°	-38°	180°	-37°			-----	1.12	1.0 ¹		Bar+86
EAM	17° +65°	————	—E—		—E—				-----	1.11	2.79		Mic93
EA	—E—	—E—	80°	-55°	250°	-40°			0.2346504	1.21	1.30		Dot+95
EAM	—E—	—E—	84°	-32°	257°	-18°			0.2347019	1.20	1.17		Mic+95
EA	63° +46°	261° +60°	————		————				0.2345855	1.19	2.2		LGR99
L	————	————	79°	-57°	246°	-44°			0.23465042	1.2	1.2 ³¹		Ka+02a
EAM	71° +31°	262° +46°	————		————				0.2345813	1.21	1.04		Mic+04
L	67° +25°	252° +38°	————		————				0.2345816	1.15	1.3 ³¹		Mic+04
SL	————	252° +38°	————		————				0.2345816	1.3			Ma+06
O	————	251° +35°	————		————				0.2345816		shape ³¹		Dur+11
K	————	255° +35°	————		————				-----		shape ³¹		Mer+14
Synthesis	————	252° +35°	————		————				0.2345816	1.2	1.2		Synthesis
54 Alexandra													
A D			Solution curve						-----	1.3 ²			Tan+91
EA	160° +45°	290° +55°	—E—		—E—				0.292766				Bel+93
L	————	307° +20°	————		————				0.292610		shape ³¹		Tor+08
L	————	————	122°	-36°	325°	-37°			0.292639		shape ³¹		Tor+08
L	156° +13°	318° +23°	————		————				0.29261020		shape ³¹		War+08
O	156° +13°	318° +23°	————		————				0.29261038		shape ³¹		Dur+11
Synthesis	156° +13°	318° +23°	————		————				0.29261038		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
55 Pandora													
AM	36° +32°	226° +19°	46° -19°	216° -32°	-----	-----	-----	-----	-----	1.27	1.10		Za+86b
EAM	—E—	—E—	-----	202° -26°	-----	-----	-----	-----	0.2001593	1.76	1.52		Dr+88b
EAM	32° +40°	224° +32°	—E—	—E—	-----	-----	-----	-----	0.2001596	1.34	1.47		Dru+91
EAM	-----	239° +28°	—E—	—E—	-----	-----	-----	-----	0.2001595	1.29	1.32		Mic93
EA	—E—	—E—	50° -18°	216° -34°	-----	-----	-----	-----	0.2001603	1.29	1.25		DeA95
EA	25° +30°	220° +30°	—E—	—E—	-----	-----	-----	-----	0.2001686	1.29	1.1		Lag+95
EAM	28° +48°	232° +42°	—E—	—E—	-----	-----	-----	-----	0.2001685	1.32	1.25		Mic96a
L	-----	225° +10°	-----	-----	-----	-----	-----	-----	0.2001685	1.2	1.2 ³¹		Tor+03
LO	-----	223° +18°	-----	-----	-----	-----	-----	-----	0.2001685	shape ³¹			Dur+11
Synthesis	-----	228° +27°	-----	-----	-----	-----	-----	-----	0.2001685	1.25	1.2		Synthesis
60 Echo													
EAM	95° +34°	275° +42°	—E—	—E—	-----	-----	-----	-----	1.048226	1.50 ²	1.38		Mic93
Synthesis	95° +34°	275° +42°	—E—	—E—	-----	-----	-----	-----	1.048226	1.5	1.4		Synthesis
62 Erato													
L*	87° +22°	269° +23°	-----	-----	-----	-----	-----	-----	0.384091	shape ³¹			Ha+11
Synthesis	87° +22°	269° +23°	-----	-----	-----	-----	-----	-----	0.384091	shape ³¹			Synthesis
63 Ausonia													
AM	130°	310°	130°	310°	-----	-----	-----	-----	-----	2.4	1.0		Zap+83
AM	127° +38°	298° +28°	118° -28°	307° -38°	-----	-----	-----	-----	-----	2.25	1.0 ¹		Zap+84
EAM	—E—	—E—	120° -30°	305° -30°	-----	-----	-----	-----	0.3873987	2.06	1.04		Mag86
E	—E—	—E—	-----	-----	-----	-----	-----	-----	0.387230				Lu+87a
EA	—E—	—E—	-----	313° -42°	-----	-----	-----	-----	0.3873992	2.16	1.04		DeA95
EAM	—E—	—E—	122° -26°	310° -40°	-----	-----	-----	-----	0.3874027	2.08	1.05		Mic96a
AM	-----	305° +36°	125° -36°	-----	-----	-----	-----	-----	-----	2.39	1.00		Bla+00
L	-----	-----	120° -15°	304° -22°	-----	-----	-----	-----	0.3873995	1.9	1.0 ³¹		Tor+03
S	-----	-----	119° -29°	-----	-----	-----	-----	-----	-----	2.28	1.0		Tan+03
LO	-----	-----	120° -15°	-----	-----	-----	-----	-----	0.3873996	shape ³¹			Dur+11
Synthesis	-----	-----	120° -20°	-----	-----	-----	-----	-----	0.3874027	1	9		Synthesis
64 Angelina													
EAM	119° +29°	299° +27°	—E—	—E—	-----	-----	-----	-----	0.3647784	1.38	1.05		Mic93
L*O	137° +14°	317° +17°	-----	-----	-----	-----	-----	-----	0.364597	shape ³¹			Dur+11
Synthesis	130° +20°	310° +20°	-----	-----	-----	-----	-----	-----	0.364597	1.4	1.0		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
65 Cybele													
EAM	—E—	—E—	26°	-52°	—	—	—	—	0.1661266	1.08	1.74		Dr+88b
EAM	—E—	—E—	25°	-49°	—	—	—	—	0.1683549	1.09	1.69		Dru+91
EA	—E—	—E—	34°	-23°	—	—	—	—	0.1683552	1.05	1.37		DeA95
Synthesis	—E—	—E—	28°	-41°	—	—	—	—	0.1683551	1.07			Synthesis
66 Maja													
AM			345°	+50°	165°	-50°			-----	1.660	1.000		Bla+98
AM	156°	+62°					336°	-62°	-----	1.66	1.40		Bla+00
68 Leto													
L*	103°	+43°	290°	+23°	—	—	—	—	0.6185612		shape ³¹		Ha+11
O	103°	+43°	290°	+23°	—	—	—	—	0.6185613		shape ³¹		Dur+11
Synthesis	103°	+43°	290°	+23°	—	—	—	—	0.6185613		shape ³¹		Synthesis
69 Hesperia													
E	131°	+42°	315°	+59°	—E—	—E—			0.2358226				Ve+89b
E					—E—	—E—			-----				Kru+92
EA			243°	+51°	—E—	—E—			0.2356040	1.25	1.45		DeA+95
AM	64°	+39°	250°	+42°	70°	-42°	244°	-39°	-----	1.247	1.250		Bla+98
L	—	—	—	—	73°	-45°	—	—	0.2356333	1.1	1.4 ³¹		Tor+03
L*	—	—	250°	+17°	71°	-2°	—	—	0.2356391		shape ³¹		Ha+11
71 Niobe													
AM			274°	+14°	94°	-14°			-----	1.202	1.345		Bla+98
72 Feronia													
L*	—	—	102°	-55°	287°	-39°	—	—	0.3371117		shape ³¹		Ha+13a
Synthesis	—	—	102°	-55°	287°	-39°	—	—	0.3371117		shape ³¹		Synthesis
73 Klytia													
L	38°	+75°	237°	+73°	—	—	—	—	0.3451277		shape ³¹		Mar+08
L*	44°	+83°	266°	+68°	—	—	—	—	0.3451279		shape ³¹		Ha+11
Synthesis	41°	+79°	252°	+71°	—	—	—	—	0.3451278		shape ³¹		Synthesis
75 Eurydike													
EAM			253°	+30°					0.2231746	1.19	1.60		Tun+02
76 Freia													
L	139°	+25°	360°	+40°	—	—	—	—	0.4153452		shape ³¹		Ste+08
L	139°	+14°	320°	+17°	—	—	—	—	0.4155442		shape ³¹		Mar+12
Synthesis	139°	+14°	320°	+17°	—	—	—	—	0.4155442		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
77 Frigga													
AM	57°	+39°			236°	-40°			-----	1.224	1.010		Bla+98
79 Eurynome													
EA	64°	+45°	226°	+52°	—E—	—E—			0.2490706	1.28	2.0 ²		Mi+90a ²⁴
EA	62°	+26°	226°	+41°	—E—	—E—			0.2490708	1.24	1.20		DeA93
EA	56°	+28°	236°	+38°	—E—	—E—			0.2490705	1.25	1.42		DeA+95
EAM	40°	+35°	214°	+38°	—E—	—E—			0.2490716	1.22	1.22		Mic96a
E	—E—		—E—		65°	-36°	245°	-36°	0.2490706				Sza+99
L	64°	+15°							0.2491071		shape ³¹		Tor+08
L*	54°	+24°	228°	+30°					0.2490717		shape ³¹		Ha+13a
Synthesis	55°	+25°	228°	+30°					0.2491071	1.2	1.3		Synthesis
80 Sappho													
R			Concentric ring region ⁶						-----				Ost87
L*					6°	-16°	194°	-26°	0.584620		shape ³¹		Dur+09
LO							194°	-26°	0.584620				Dur+11
Synthesis							194°	-26°	0.584620		shape ³¹		Synthesis
82 Alkmene													
L*					164°	-34°	351°	-39°	0.541699		shape ³¹		Dur+09
L*					164°	-28°	349°	-33°	0.541699		shape ³¹		Ha+11
Synthesis					164°	-31°	350°	-36°	0.541699		shape ³¹		Synthesis
83 Beatrix													
EAM	—E—		—E—		3°	-37°	172°	-31°	0.4213796	1.26	1.16		Kru+94
EA	—E—		—E—		6°	-46°	173°	-38°	-----	1.22	1.10		DeA95
Synthesis	—E—		—E—		4°	-42°	172°	-34°	0.4213796	1.24	1.1		Synthesis
85 Io													
EA	120°	+89°	303°	+82°	123°	-82°	300°	-89°	-----	1.18	1.00		Dot+95
EAM ³²	—E—		—E—		—E—		285°	-52°	0.28646325	1.15	1.8		Eri+99
EAM ³²	—E—		—E—		108°	-46°	290°	-16°	0.2864629	1.19			Eri+99
L					105°	-45°	295°	-14°	0.2864629	1.1	1.0 ³¹		Tor+03
LO					95°	-65°			0.28644929		shape ³¹		Dur+11
Synthesis					100°	-60°			0.28644929	1.1	1.0		Synthesis
87 Sylvia													
EAM	89°	+52°	288°	+40°	—E—	—E—			0.2159852	1.41	1.17		Dr+88b
EAM	66°	+67°	296°	+59°	—E—	—E—			0.2159851	1.44	1.5		Mag90a
EAM	89°	+52°	291°	+42°	—E—	—E—			0.2159853	1.43	1.17		Dru+91
EAM	84°	+55°	297°	+50°	—E—	—E—			0.2159859	1.37	1.41 ²		Mic93
EA	86°	+45°			—E—	—E—			0.2159850	1.45	1.05		DeA95
L	71°	+66°							0.2159851	1.4	1.1 ³¹		Ka+02a
SL	71°	+66°							0.2159851	1.6			Ma+06
S	96°	+39°							-----	1.33	1.16		Dru+08
Synthesis	84°	+55°							0.2159853	1.40	1.2		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
88 Thisbe													
AM	32°	+69°	205°	+54°	25°	-54°	212°	-69°	- - - -	1.13	1.0 ¹		Za+86b
EAM	—	—	129°	+78°	—E—	—	—E—	—	0.2517222	1.12	1.30		Dr+88b
EA	40°	+70°	200°	+70°	—E—	—	—E—	—	0.2517223	1.13			Mag90a
EAM	—	—	110°	+58°	—E—	—	—E—	—	0.2517222	1.15	1.16		Dru+91
EA	—	—	243°	+74°	—E—	—	—E—	—	0.2517224	1.11	1.22		DeA95
L	—	—	207°	+48°	—	—	—	—	0.2517208	1.1	1.2 ³¹		Tor+03
LO	72°	+60°	247°	+50°	—	—	—	—	0.251721		shape ³¹		Dur+11
Synthesis	72°	+60°	237°	+49°	—	—	—	—	0.251721	1.1	1.2		Synthesis
89 Julia													
L*O	—	—	—	—	8°	-13°	—	—	0.474514		shape ³¹		Dur+11
Synthesis	—	—	—	—	8°	-13°	—	—	0.474514		shape ³¹		Synthesis
93 Minerva													
EA	—	—	203°	+15°	—	—	—	—	0.249087	1.07	1.10		Eri00
EAM	—	—	189°	+10°	—	—	—	—	0.2491288	1.12	1.00		Tun+02
L	—	—	216°	+21°	—	—	—	—	0.249303		shape ³¹		Tor+08
L	—	—	—	—	49°	-40°	—	—	0.249297		shape ³¹		Tor+08
Synthesis	—	—	203°	+15°	—	—	—	—	0.2493	1.10	1.05		Synthesis
94 Aurora													
L	58°	+16°	242°	+4°	—	—	—	—	0.3010912		shape ³¹		Mar+11
Synthesis	58°	+16°	242°	+4°	—	—	—	—	0.3010912		shape ³¹		Synthesis
95 Arethusa													
LO	149°	+33°	—	—	—	—	—	—	0.362592		shape ³¹		Dur+11
Synthesis	149°	+33°	—	—	—	—	—	—	0.362592		shape ³¹		Synthesis
97 Klotho													
EAM	—	—	340°	+8°	—	—	—	—	1.4632286	1.33	1.10		Tun+02
L*	161°	+40°	359°	+30°	—	—	—	—	1.4687917		shape ³¹		Ha+11
Synthesis	161°	+40°	359°	+30°	—	—	—	—	1.4687917		shape ³¹		Synthesis
105 Artemis													
EAM	—	—	192°	+68°	—	—	—	—	0.7729158	1.09	1.53		Tun+02
L	—	—	240°	+9°	—	—	234°	-43°	1.5481275		shape ³¹		Hi+08
107 Camilla													
EAM	71°	+61°	233°	+74°	—E—	—	—E—	—	0.2018306	1.45	1.72		Dr+88b
EAM	74°	+55°	239°	+76°	—E—	—	—E—	—	0.2018305	1.46	1.6		Mag90a
EAM	—	—	229°	+73°	—E—	—	—E—	—	0.2018305	1.47	1.49		Dru+91
EA	—	—	230°	+69°	—E—	—	—E—	—	0.2018307	1.46	1.58		DeA95
L	72°	+51°	—	—	—	—	—	—	0.2018304	1.4	1.2 ³¹		Tor+03
LO	73°	+54°	—	—	—	—	—	—	0.2018303		shape ³¹		Dur+11
Synthesis	73°	+54°	232°	+74°	—	—	—	—	0.2018306	1.46	1.6		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
108 Hecuba													
AM	79°	+13°					259°	-13°	-----	1.180	1.101		Bla+98
AM	79°	+6°					259°	-6°	-----	1.180	1.101		Bla+98
110 Lydia													
EAM	24°	+75°	210°	+78°					-----	1.17			Mic96a
L	-----	-----	-----	-----	149°	-55°	331°	-61°	0.4552416	shape ³¹			Dur+07
Synthesis	-----	-----	-----	-----	149°	-55°	331°	-61°	0.4552416	shape ³¹			Synthesis
113 Amalthea													
EAM					70°	-18°			0.4140702	1.45	1.17		Tun+02
115 Thyra													
EA	175°	+60°	330°	+60°	—E—		—E—		0.301565	1.14	1.30		Dot+95
AM	197°	+30°	358°	+35°	17°	-30°	178°	-35°	-----	1.224	1.088		Bla+98
EAM	-----	-----	-----	-----	-----	-----	182°	-43°	0.3017940	1.21	1.03		Mic+03
EAM	7°	+34°	-----	-----	-----	-----	-----	-----	0.3017257	1.23	1.03		Mic+04
L	23°	+33°	-----	-----	-----	-----	-----	-----	0.3016652	1.1	1.1 ³¹		Mic+04
Synthesis	15°	+34°	-----	-----	-----	-----	-----	-----	0.30169	1.2	1		Synthesis
119 Althaea													
EAM					21°	-77°			0.4783486	1.29	1.33		Tun+02
L*	-----	-----	-----	-----		-62°		-62°	0.477713				Dur+09
L*	-----	-----	-----	-----	181°	-61°	339°	-67°	0.477714	shape ³¹			Ha+11
Synthesis	-----	-----	-----	-----	181°	-61°	339°	-67°	0.477714	shape ³¹			Synthesis
121 Hermione													
EA	163°	+12°	342°	+30°	162°	-30°	343°	-12°	-----	1.10	1.00		DeA95
AM	40°	+32°					220°	-32°	-----	1.294	1.288		Bla+96
AM			240°	+42°	60°	-42°			-----	1.294	1.393		Bla+98
122 Gerda													
AM	26°	+31°					190°	-39°	-----	1.21	0.94		She+09
125 Liberatrix													
EAM	80°	+74°	-----	-----	—E—		—E—		0.1653422	1.28	2.68		Dr+88b
E		+70°		+70°	—E—		—E—		0.1653425				Mag90a
EAM	-----	-----	228°	+71°	—E—		—E—		0.1653420	1.35	1.23		Dru+91
EA	15°	+47°	181°	+53°	—E—		—E—		0.1653418	1.55	1.10		DeA95
L	95°	+68°	280°	+74°	-----		-----		0.1653416	shape ³¹			Dur+07
Synthesis	95°	+68°	280°	+74°	-----		-----		0.1653416	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
127 Johanna													
L	————	————	98°	-59°	261°	-69°			0.5333142	shape ³¹			Mar+12
Synthesis	————	————	98°	-59°	261°	-69°			0.5333142	shape ³¹			Synthesis
129 Antigone													
AM	331° +30°	133° +48°	313°	-48°	151°	-30°			-----	1.37	1.0 ¹		Bar+85
EA	20° +50°	180° +72°	—E—		—E—				0.2065566	1.27	1.0		Mag86
EAM	————	196° +64°	—E—		—E—				0.2065486	1.27	1.05		Dr+88b
EA	38° +27°	202° +53°	—E—		—E—				0.2065485	1.32	1.02		Mag90a
EAM	————	195° +65°	—E—		—E—				0.2065486	1.23	1.07		Dru+91
AM	42° +36°	208° +68°	18°	-68°	222°	-36°			-----	1.45	1.05		Dot+92
EA	————	194° +72°	—E—		—E—				0.2065483	1.32	1.01		DeA95
L	————	207° +58°	————		————				0.2065480	1.3	1.0 ³¹		Tor+03
S	————	202° +52°	————		————				-----	1.22	1.48		Dru+09
LO	————	207° +58°	————		————				0.2065480	shape ³¹			Dur+11
Synthesis	————	204° +55°	————		————				0.2065484	1.3	1.1		Synthesis
130 Elektra													
EAM	—E—	—E—	190°	-81°	————				0.2176951	1.29	1.63		Dr+88b
EAM	—E—	—E—	180°	-85°	240°	-40°			0.2176942	1.41	1.2		Mag90a
EAM	—E—	—E—	344°	-86°	246°	-32°			0.2176942	1.32	1.06		Mic93
EA	—E—	—E—	192°	-83°	————				0.2176950	1.55	1.45		DeA95
L	————	————	64°	-88°	————				0.2176943	shape ³¹			Dur+07
SL	————	————	64°	-88°	————				0.2176943	shape ³¹			Ma+06
L	————	————	160°	-85°	————				0.2176942	shape ³¹			Tor+08
LO	————	————	64°	-88°	————				0.2176943	shape ³¹			Dur+11
Synthesis	————	————	64°	-88°	————				0.2176943	1.2	1.1		Synthesis
132 Aethra													
L*	————	337° +70°	————		————				0.2153448	shape ³¹			Dur+09
L*	————	326° +67°	————		————				0.2153446	shape ³¹			Ha+11
Synthesis	————	332° +69°	————		————				0.2153447	shape ³¹			Synthesis
133 Cyrene													
E	Prograde rotation	—E—	—E—						0.5295				Har+84
135 Hertha													
A D		Solution curve							-----	1.23			Tan+91
AM	135° +46°	310° +43°	130°	-43°	315°	-46°			-----	1.34	1.22		Dot+92 ²²
EAM	—E—	—E—	126°	-28°	310°	-31°			0.347818	1.36	1.20		Mic93
EA	106° +2°				286°	-2°			0.350238	1.16	1.14		Lag+95
EAM	118° +52°	291° +47°							-----	1.25	1.24		Mic96a
L	96° +58°	274° +53°	————		————				0.350025	1.1	1.4 ³¹		Tor+03
Synthesis	100° +52°	292° +50°	————		————				0.350238	1.15	1.2		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
136 Austria														
L*	+63°		+63°	————	————				0.479025		shape ³¹		Dur+09	
137 Meliboea														
AM	149°	+8°					329°	-8°	-----		1.18	1.11		Bla+00
139 Juewa														
EAM	117°	+50°	————	—E—	—E—				-----		1.21	1.68		Mic93
144 Vibilia														
R			Concentric ring region ⁶							-----				Ost87
146 Lucina														
L*	————		————		139°	-14°	305°	-41°	0.773082		shape ³¹		Dur+09	
Synthesis	————		————		139°	-14°	305°	-41°	0.773082		shape ³¹		Synthesis	
147 Protogeneia														
L*	90°	+14°	269°	+15°	————		————		0.3271800		shape ³¹		Ha+13a	
Synthesis	90°	+14°	269°	+15°	————		————		0.3271800		shape ³¹		Synthesis	
149 Medusa														
L*	————		————		156°	-76°	333°	-73°	1.0852250		shape ³¹		Ha+13a	
Synthesis	————		————		156°	-76°	333°	-73°	1.0852250		shape ³¹		Synthesis	
150 Nuwa														
AM			253°	+1°	73°	-1°			-----		1.116	1.043		Bla+96
AM			257°	+1°	77°	-1°			-----		1.097	1.015		Bla+98
AM			253°	+27°	73°	-27°			-----		1.097	1.015		Bla+98
152 Atala														
L*	199°	+62°	347°	+47°	————		————		0.260197		shape ³¹		Dur+09	
L*	199°	+61°	347°	+46°	————		————		0.260197		shape ³¹		Ha+11	
LO	—O—		347°	+46°	————		————		0.260197		shape ³¹		Dur+11	
Synthesis	—O—		347°	+46°	————		————		0.260197		shape ³¹		Synthesis	
153 Hilda														
AM	149°	+29°					329°	-32°	-----		1.19	1.32		She+09
157 Dejanira														
L*	————		————		146°	-33°	319°	-64°	0.6595292		shape ³¹		Ha+13a	
Synthesis	————		————		146°	-33°	319°	-64°	0.6595292		shape ³¹		Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
158 Koronis													
EAM	————	————	19°	-69°	201°	-72°	0.5919043	1.5	1.7			Sli+03	
L	————	————	35°	-65°	220°	-68°	0.5919037	1.4	1.5			Sli+03	
LO	————	————	30°	-64°	—O—		0.5919037	shape ³¹				Dur+11	
Synthesis	————	————	33°	-65°	—O—		0.5919037	1.5	1.6			Synthesis	
160 Una													
L	————	————	125°	-33°	308°	-41°	0.4597157	shape ³¹				Mar+09	
Synthesis	————	————	125°	-33°	308°	-41°	0.4597157	shape ³¹				Synthesis	
161 Athor													
AM	1° +48°	209° +47°	29°	-47°	181°	-48°	-----	1.367	0.850			Bla+98	
L*	————	170° +4°	————		350°	-6°	0.3033370	shape ³¹				Lor+12	
Synthesis	————	170° +4°	————		350°	-6°	0.3033370	shape ³¹				Synthesis	
162 Laurentia													
L*	139° +64°	313° +51°	————		————		0.494549	shape ³¹				Ha+11	
Synthesis	139° +64°	313° +51°	————		————		0.494549	shape ³¹				Synthesis	
163 Erigone													
L*	————	————		-60°		-60°	0.67251					Ha+11	
165 Loreley													
AM		339° +65°	159°	-65°			-----	1.191	1.274			Bla+98	
L	————	346° +29°	————		————		0.3011112	shape ³¹				Dur+07	
LO	174° +29°	—O—	————		————		0.3010161	shape ³¹				Dur+11	
Synthesis	174° +29°	—O—	————		————		0.3011161	shape ³¹				Synthesis	
166 Rhodope													
L*	————	————	173°	-3°	345°	-22°	0.1964497	shape ³¹				Ha+13a	
Synthesis	————	————	173°	-3°	345°	-22°	0.1964497	shape ³¹				Synthesis	
167 Urda													
EAM	————	————	30°	-73°	220°	-69°	0.5442240	1.3	1.0			Sli+03	
L	————	————	40°	-75°	225°	-73°	0.5442238	1.2	1.0			Sli+03	
L*	————	————	107°	-69°	249°	-68°	0.544222	shape ³¹				War+08	
LO	————	————	—O—		249°	-68°	0.544222	shape ³¹				Dur+11	
Synthesis	————	————	60°	-70°	235°	-70°	0.544222	1.3	1.0			Synthesis	
173 Ino													
EAM	—E—	—E—	198°	-21°	356°	-47°	-----	1.23	1.69			Mic93	
EA	—E—	—E—	186°	-22°	365°	-21°	-----	1.12	1.06			DeA95	
L	————	————	178°	-14°	344°	-30°	0.2548546	1.1	1.1 ³¹			Mic+05	
Synthesis	————	————	178°	-14°	344°	-30°	0.2548546	1.1	1.1			Synthesis	
174 Phaedra													
L	————	265° +5°	————		————		0.2395937	shape ³¹				Mar+11	
L*	94° +36°	266° +14°	————		————		0.239593	shape ³¹				Ha+11	
Synthesis	————	265° +5°	————		————		0.2395937	shape ³¹				Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
176 Iduna													
AM	85°	+36°					265°	-36°	-----	1.39	1.28		Bla+00
178 Belisana													
L*	79°	+9°	260°	+20°	-----	-----			0.5133912		shape ³¹		Ha+13a
Synthesis	79°	+9°	260°	+20°	-----	-----			0.5133912		shape ³¹		Synthesis
182 Elsa													
L*	-----	-----			72°	-84°	224°	-82°	3.3403		shape ³¹		Dur+09
Synthesis	-----	-----			72°	-84°	224°	-82°	3.3403		shape ³¹		Synthesis
183 Istria													
L*	85°	+20°	-----	-----	-----	-----			0.4903737		shape ³¹		Ha+13a
Synthesis	85°	+20°	-----	-----	-----	-----			0.4903737		shape ³¹		Synthesis
184 Dejopeja													
L	18°	+54°	201°	+52°	-----	-----			0.2683796		shape ³¹		Mar+07
L*	14°	+51°	196°	+50°	-----	-----			0.2683799		shape ³¹		Dur+09
Synthesis	16°	+53°	198°	+51°	-----	-----			0.2683797		shape ³¹		Synthesis
187 Lamberta													
L*	-----	-----			-58°	-58°			0.444459				Ha+11
188 Menippe													
L*	32°	+48°	198°	+25°	-----	-----			0.49902		shape ³¹		Ha+11
Synthesis	32°	+48°	198°	+25°	-----	-----			0.49902		shape ³¹		Synthesis
190 Ismene													
AM	118°	+23°					298°	-30°	-----	1.13	1.21		She+09
192 Nausikaa													
A	130°	+40°					310°	-40°	-----				Sc+76a
EA	-----E-----	-----E-----	-----	-----	-----	-----	325°	-45°	0.567670	1.35	1.50		Dot+95
L	131°	+36°	-----	-----	-----	-----	306°	-7°	0.5676058	1.3	1.1 ³¹		Ka+02a
SL	-----	-----	326°	+33°	-----	-----			0.5675708	1.51			Ma+06
Synthesis	-----	-----	326°	+33°	-----	-----			0.5675708	1.51			Synthesis
193 Ambrosia													
L*	-----	-----			141°	-11°	328°	-17°	0.2742358		shape ³¹		Ha+13a
Synthesis	-----	-----			141°	-11°	328°	-17°	0.2742358		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
196 Philomela													
EAM	78° +26°	266° +24°	86° -24°	258° -26°	-----	-----	-----	-----	1.58	1.06		Mic92	
EAM	—E—	—E—	99° -16°	273° -22°	-----	-----	-----	1.33	1.17			Mic93	
A D	102° +26°	287° +26°	107° -26°	282° -26°	-----	-----	-----	1.50				Lic+94	
EA	105° +20°			285° -20°	-----	-----	-----	1.40	1.00			DeA95	
EAM	-----	277° +20°	—E—	—E—	0.3475556 ²			1.32	1.16			Kry+96	
AM		278° +20°	98° -20°		-----			1.472	0.914			Bla+98	
L	-----	-----	111° -41°	276° -49°	0.3472011			shape ³¹				Dur+07	
Synthesis	-----	-----	111° -41°	276° -49°	0.3475556			1.3	1.2			Synthesis	
199 Byblis													
L*	165° +9°	-----	-----	344° -24°	0.2175263			shape ³¹				Ha+13a	
201 Penelope													
EAM	78° -3°	258° +4°			0.1561283 ²			1.47	1.22			Dr+88b	
EAM	—E—	—E—	80° -35°	260° -25°	0.1561443			1.50	1.23			Mag90a	
EAM	74° -2°	-----			0.1561287			1.53	1.24			Dru+91	
EAM			-----	261° -34°	0.1561440			1.55	1.34			Dru+91	
EAM	—E—	—E—	85° -40°	260° -25°	0.1561439			1.42	1.3			Eri+93	
EAM	—E—	—E—	-----	258° -22°	0.1561433			1.32	1.06			Mic93	
EA	—E—	—E—	93° -14°	-----	0.15614438			1.65	1.20			DeA95	
EAM	—E—	—E—	84° -39°	260° -20°	0.1561439			1.49	1.20			Mic96a	
EAM			84° -32°		0.1561401			1.51	1.24			Tun+02	
L	-----	-----	84° -15°	262° -1°	0.1561439			1.5	1.1 ³¹			Tor+03	
Synthesis	—E—	—E—	85° -29°	260° -21°	0.1561439			1.5	1.2			Synthesis	
208 Lacrimosa													
EAM	-----	-----	154° -62°	342° -64°	0.5865383			1.5	2.3			Sli+03	
L	-----	-----	170° -68°	350° -71°	0.5865383			1.2	1.2			Sli+03	
LO	-----	-----	176° -68°	20° -75°	0.586538			shape ³¹				Dur+11	
Synthesis	-----	-----	167° -66°	357° -70°	0.586538			1.3				Synthesis	
216 Kleopatra													
EA	71° +21°	234° +38°	—E—	—E—	0.2243864							Mag83	
A	67° +15°	231° +31°	51° -31°	247° -15°	-----			2.83				Zap+84	
E	71° +21°	234° +38°	—E—	—E—	-----							Kos86	
EA	72° +20°	235° +34°	—E—	—E—	0.2243865			2.78	1.5 ²			Mag86	
E			—E—	—E—	0.22438596							Lu+87a	
EAM	69° +10°	-----	—E—	—E—	0.2243870			2.54	1.32			Dr+88b	
EAM	71° +19°	236° +34°	—E—	—E—	0.2243868			2.71	1.30			Mag90a	
EAM	69° +10°	-----	—E—	—E—	0.2243868			2.56	1.33			Dru+91	
AM	78° +25°	229° +45°	49° -45°	258° -25°	-----			2.80	1.36			Dot+92	
EA	72° +8°		—E—	—E—	0.22438654			2.54	1.20			DeA95	
S	72° +16°	-----	-----	-----	-----							Tan+03	
Synthesis	72° +16°	-----	—E—	—E—	0.2243867			2.6	1.3			Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
218 Bianca													
EAM			340°	+60°					-----	1.20	1.33		Kry+96
L	-----		305°	+17°	121°	-10°			0.394499	shape ³¹			Dur+07
Synthesis	-----		305°	+17°	121°	-10°			0.394499	shape ³¹			Synthesis
220 Stephania													
L*	-----				26°	-50°	223°	-62°	0.7586958	shape ³¹			Ha+13a
Synthesis	-----				26°	-50°	223°	-62°	0.7586958	shape ³¹			Synthesis
221 Eos													
AM	72°	+20°					252°	-22°	-----	1.18	1.27		She+09
222 Lucia													
L*	106°	+50°	293°	+49°					0.3265296	shape ³¹			Ha+13a
Synthesis	106°	+50°	293°	+49°					0.3265296	shape ³¹			Synthesis
225 Henrietta													
EAM	—E—		—E—				241°	-56°	-----	1.27	1.89		Mic93
EAM	135°	+13°							-----	1.23	1.08		Mic+00
230 Athamantis													
AM	91°	+44°	240°	+51°	60°	-51°	271°	-44°	-----	1.318	1.195		Bla+98
L	74°	+27°	238°	+28°					0.999354	1.1	1.1 ³¹		Tor+03
Synthesis	83°	+36°	239°	+40°					0.999354	1.1	1.1		Synthesis
233 Asterope													
L*		+49°		+49°					0.820754				Ha+11
236 Honoria													
AM			358°	+66°	178°	-66°			-----	1.224	1.142		Bla+96 ³⁴
238 Hypatia													
EA	139°	+27°	337°	+50°	157°	-50°	319°	-27°	-----	1.38	1.00		DeA95
242 Kriemhild													
L*					100°	-40°	285°	-15°	0.1893823	shape ³¹			Ha+13a
Synthesis					100°	-40°	285°	-15°	0.1893823	shape ³¹			Synthesis
243 Ida													
EA	—E—		—E—		75°	-56°	264°	-64°	0.1930680	1.81	1.18		Bin+93
EAM	—E—		—E—		81°	-55°	263°	-56°	0.1930680	1.81	1.25	X	Bin+93
AMF					67°	-47°	247°	-47°	-----	1.88	1.04	X	Bin+93
EAM	—E—		—E—		71°	-52°	252°	-54°	0.1930680	1.78	1.10	X	Bin+93
EAM	—E—		—E—		83°	-62°	266°	-64°	0.1930680	1.86	1.31		Bin+93 ²⁷
AM					81°	-52°	264°	-54°	-----	2.04	1.15		Bin+93
C	—C—		—C—				262°	-68°	-----				Da+94b
C	—C—		—C—				262°	-67°	0.1930680				Da+96
L					85°	-47°	262°	-55°	0.19306825	shape ³¹			Ka+01
L*					74°	-61°	259°	-66°	0.1930680	shape ³¹			Ha+13b
Synthesis	—C—		—C—				262°	-68°	0.1930680	1.8	1.2		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
250 Bettina													
EAM	—E—	—E—	104°	-16°	—	—	—	—	0.2106225	1.32	1.38		Dru+91
AM	96° +46°	283° +21°	103°	-21°	276°	-46°	—	—	-----	1.51	1.01		Dot+92 ²²
EAM	—E—	—E—	85°	-9°	260°	-35°	—	—	0.2106218	1.33	1.66		Mic92
EAM	—E—	—E—	99°	-16°	272°	-48°	—	—	0.2106014	1.33	1.3		Eri+93
EAM	—E—	—E—	102°	-30°	272°	-55°	—	—	0.2106224	1.36	1.34		Mic93
EA	—E—	—E—	—	—	272°	-32°	—	—	0.2106016	1.45	1.05		DeA95
EA	—E—	—E—	106°	-11°	—	—	—	—	0.2106219	1.45	1.05		DeA95
EA	—	—	check ⁵		—	—	—	—	-----	—	—		Lag+95
AM	—	—	275°	+1°	95°	-1°	—	—	-----	1.74	1.58		Bla+00
L	100° +17°	—	—	—	282°	-12°	—	—	0.2106006	1.3	1.0 ³¹		Tor+03
257 Silesia													
L*	—	—	176°	-46°	—	—	—	—	0.6545708	shape ³¹			Ha+13a
Synthesis	—	—	176°	-46°	—	—	—	—	0.6545708	shape ³¹			Synthesis
258 Tyche													
AM	72° +20°	222° +40°	42°	-40°	252°	-20°	—	—	-----	1.51	1.25		Bla+00
L*	—	—	40°	-9°	224°	-4°	—	—	0.418336	shape ³¹			Ha+11
Synthesis	—	—	40°	-9°	224°	-4°	—	—	0.418336	shape ³¹			Synthesis
260 Huberta													
L*	—	—	23°	-28°	206°	-19°	—	—	0.3454396	shape ³¹			Ha+13a
Synthesis	—	—	23°	-28°	206°	-19°	—	—	0.3454396	shape ³¹			Synthesis
263 Dresda													
EAM	100° +70°	276° +73°	—	—	—	—	—	—	0.7005792	1.5	1.7		Sli+09
L	105° +76°	285° +80°	—	—	—	—	—	—	0.7005779	1.3	1.1		Sli+09
Synthesis	103° +73°	282° +76°	—	—	—	—	—	—	0.7005789	1.4	1.4		Synthesis
264 Libussa													
L*	157° +18°	—	—	—	338°	-9°	—	—	0.384497	shape ³¹			Ha+11
265 Anna													
L**	—	—	109°	-53°	—	—	—	—	0.4870958	shape ³¹			Ha+13a
Synthesis	—	—	109°	-53°	—	—	—	—	0.4870958	shape ³¹			Synthesis
270 Anahitia													
EA	—	300° +65°	—	—	—	—	—	—	0.6268967	1.26	1.24		Eri00
EAM	—	285° +53°	—	—	—	—	—	—	0.6269955	1.24	1.31		Tun+02
Synthesis	—	293° +59°	—	—	—	—	—	—	0.6269	1.25	1.28		Synthesis
272 Antonia													
L*	—	—	—	-70°	—	-70°	—	—	0.1606167	—	—		Ha+11
L*	—	—	—	—	293°	-90°	—	—	0.1606167	shape ³¹			Ha+13a
Synthesis	—	—	—	—	293°	-90°	—	—	0.1606167	shape ³¹			Synthesis
276 Adelheid													
L	—	—	9°	-4°	198°	-20°	—	—	0.2633001	shape ³¹			Mar+07
LO	—	—	9°	-4°	198°	-20°	—	—	0.2633000	shape ³¹			Dur+11
Synthesis	—	—	9°	-4°	198°	-20°	—	—	0.2633001	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
277 Elvira													
EAM	————	————	56°	-78°	251°	-77°	1.2371719	1.5	1.9				Sli+03
L	————	————	50°	-79°	240°	-79°	1.2371733	1.3	1.2				Sli+03
EAM	————	————	73°	-74°	256°	-72°	1.2371730	1.5	1.5				Sli+09
L	————	————	50°	-80°	244°	-81°	1.2371742	1.3	1.2				Sli+09
L*	————	————	121°	-84°	————	————	1.237175	shape ³¹					Ha+11
Synthesis	————	————	64°	-77°	251°	-76°	1.2371741	1.4	1.3				Synthesis
278 Paulina													
L*	123°	+45°	311°	+28°	————	————	0.270578	shape ³¹					Dur+09
L*	118°	+38°	307°	+31°	————	————	0.270578	shape ³¹					Ha+11
Synthesis	120°	+41°	309°	+30°	————	————	0.270578	shape ³¹					Synthesis
281 Lucretia													
A		+90°		+90°		-90°		-90°	-----				Tay+76
L*	————	————		————		-54°		-54°	0.1812379				Ha+11
L	————	————	148°	-72°	333°	-78°	0.1812380	shape ³¹					Kry13
L*	————	————	128°	-49°	309°	-61°	0.1812380	shape ³¹					Ha+13a
Synthesis	————	————	148°	-72°	333°	-78°	0.1812380	shape ³¹					Synthesis
283 Emma													
L	80°	+37°	261°	+28°	————	————	0.2873008	1.4	1.0				Mic+06
Synthesis	80°	+37°	261°	+28°	————	————	0.2873008	1.4	1.0				Synthesis
287 Nephthys													
AM	99°	+54°				279°	-54°	-----	1.306	1.207			Bla+96 ³⁴
290 Bruna													
L*	————	————	37°	-74°	286°	-80°	0.5752292	shape ³¹					Ha+13a
291 Alice													
EAM	66°	+54°	247°	+55°	————	————	-----	1.30	1.20				Kry+96
L	70°	+56°	253°	+54°	————	————	0.1798338	shape ³¹					Kry+08
L*	69°	+51°	249°	+56°	————	————	0.1798338	shape ³¹					Ha+11
L	67°	+56°	250°	+56°	————	————	0.1798338	shape ³¹					Kry13
Synthesis	67°	+56°	250°	+56°	————	————	0.1798338	shape ³¹					Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
297 Caecilia													
L*	————	————	47°	-33°	223°	-53°	0.1729745		shape ³¹			Ha+13a	
Synthesis	————	————	47°	-33°	223°	-53°	0.1729745		shape ³¹			Synthesis	
302 Clarissa													
L*	————	————	28°	-72°	190°	-72°	0.603196		shape ³¹			Ha+11	
O	————	————	28°	-72°	—O—		0.603196		shape ³¹			Dur+11	
Synthesis	————	————	28°	-72°	—O—		0.603196		shape ³¹			Synthesis	
306 Unitas													
L	————	————	79°	-35°	254°	-18°	0.3641145		shape ³¹			Dur+07	
O	————	————	79°	-35°	—O—		0.3641145					Dur+11	
Synthesis	————	————	79°	-35°	—O—		0.3641145		shape ³¹			Synthesis	
310 Margarita													
L*	————	————	42°	-33°	225°	-35°	0.502958		shape ³¹			Ha+11	
Synthesis	————	————	42°	-33°	225°	-35°	0.502958		shape ³¹			Synthesis	
311 Claudia													
EAM	24° +31°	207° +38°	————	————	————	————	0.3138073	1.9	0.9			Sli+03	
L	24° +48°	209° +48°	————	————	————	————	0.3138078	1.7	1.2			Sli+03	
L*	30° +40°	214° +43°	————	————	————	————	0.3138075		shape ³¹			Ha+11	
Synthesis	26° +40°	210° +43°	————	————	————	————	0.3138075	1.8	1.0			Synthesis	
312 Pierretta													
L*	————	————		-52°		-52°	0.425320					Dur+09	
L*	————	————	82°	-39°	256°	-58°	0.425318					Ha+11	
313 Chaldaea													
L*	+33°	+33°	————	————	————	————	0.349580					Ha+11	
321 Florentina													
EAM	————	————	96°	-63°	266°	-67°	0.11961940	1.5	1.6			Sli+03	
L	————	————	91°	-60°	264°	-63°	0.11961941	1.4	1.4			Sli+03	
Synthesis	————	————	94°	-62°	265°	-65°	0.11961941	1.5	1.5			Synthesis	
324 Bambergia													
S	————	————	177°	-62°	————	————	-----	1.1	1.0			Dru+08	
334 Chicago													
EAM	13° +32°	188° +42°	—E—	—E—	0.383246		1.68	1.06				Mic93	
AM	18° +46°	180° +59°	0° -59°	198° -46°	-----		2.089	1.742				Bla+98	
Synthesis	15° +35°	184° +50°	—E—	—E—	0.383246		1.88					Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
335 Roberta													
AM	80°	+15°	258°	+25°	78°	-25°	260°	-15°	-----	2.09	1.14		Bla+00
336 Lacadiera													
L*	37°	+54°	194°	+39°	-----	-----	-----	-----	0.570646	shape ³¹			Ha+11
337 Devosa													
EAM	-----E-----	-----	-----E-----	-----	-----	-----	199°	-51°	0.1938078	1.24	1.34		Mic92
EAM	-----	-----	199°	+59°	-----E-----	-----	-----	-----	0.1931106	1.20	1.79		Mic93
EA	-----E-----	-----	-----E-----	-----	-----	-----	193°	-73°	0.1938078	1.30	1.30		DeA95
L	-----	-----	209°	+43°	-----	-----	-----	-----	0.1939031	1.2	1.5 ³¹		Tor+03
Synthesis	-----	-----	204°	+51°	-----	-----	195°	-62°	0.1938078	1.25	1.56		Synthesis
338 Budrosa													
A	152°	+24°	321°	+33°	141°	-33°	332°	-24°	-----	1.5			GiH+95
EAM	172°	+16°	-----	-----	-----	-----	-----	-----	0.1916437	1.54	1.20		Tun+02
Synthesis	162°	+20°	-----	-----	-----	-----	-----	-----	0.1916437	1.54	1.20		Synthesis
340 Eduarda													
L*	-----	-----	-----	-----	18°	-47°	188°	-43°	0.333589	shape ³¹			Ha+11
345 Tercidina													
L*O	-----	-----	-----	-----	-----	-----	346°	-55°	0.5154508	shape ³¹			Ha+13a
Synthesis	-----	-----	-----	-----	-----	-----	346°	-55°	0.5154508	shape ³¹			Synthesis
349 Dembowska													
E	150°	+25°	330°	+5°	-----E-----	-----E-----	-----	-----	0.1958834	<1.3			Mag86
AM	163°	+49°	330°	+29°	150°	-29°	343°	-49°	-----	1.28	1.15		Za+86b
E	-----	-----	-----	-----	-----E-----	-----E-----	-----	-----	0.195895				Lu+87a
EAM	153°	+35°	-----	-----	-----E-----	-----E-----	-----	-----	0.19588337	1.30	1.12		Dr+88b
EAM	157°	+30°	331°	+15°	-----E-----	-----E-----	-----	-----	0.1958835	1.29	1.11		Mag90a
AMF	148°	+35°	180°	+28°	0°	-28°	328°	-35°	-----				Lum+90
EAM	153°	+36°	-----	-----	-----E-----	-----E-----	-----	-----	0.19588333	1.30	1.13		Dru+91
EA	152°	+40°	-----	-----	-----E-----	-----E-----	-----	-----	0.1958841	1.35	1.10		DeA95
L	150°	+23°	329°	0°	-----	-----	-----	-----	0.195884	1.3	1.4 ³¹		Tor+03
Synthesis	153°	+34°	330°	+12°	-----	-----	-----	-----	0.1958836	1.31	1.12		Synthesis
350 Ornamenta													
L	-----	-----	-----	-----	-----	-----	184°	-29°	0.3825172	shape ³¹			Mar+09a
Synthesis	-----	-----	-----	-----	-----	-----	184°	-29°	0.3825172	shape ³¹			Synthesis
351 Yrsa													
L*	-----	-----	-----	-----	20°	-70°	193°	-41°	0.5546667	shape ³¹			Ha+13a
352 Gisela													
AM	-----	-----	213°	+53°	33°	-53°	-----	-----	-----	1.47	1.38		Bla+00
L	-----	-----	-----	-----	16°	-40°	201°	-43°	0.3116700	shape ³¹			Kry13
L*	-----	-----	-----	-----	24°	-21°	206°	-28°	0.3116700	shape ³¹			Ha+13a
Synthesis	-----	-----	-----	-----	16°	-40°	201°	-43°	0.3116700	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
354 Eleonora														
EA			360° +35°	—E—					-----				Lup+81	
A	132° +45°		357° +38°	177° -38°	312° -45°				-----	1.36	1.0 ¹		Zap+84	
A	137° +44°		363° +28°	183° -28°	317° -44°				-----	1.35	1.0 ¹		Bur+85	
A			355° +36°	175° -36°					-----				Pii+85	
EA	159° +22°		339° +2°	—E—	—E—				0.1782160	1.23	1.0		Mag86	
EAM	170° +39°		366° +2°	—E—	—E—				0.17821593	1.17	1.24		Dr+88b	
EAM	148° +35°		350° +21°	—E—	—E—				0.1782161	1.21	1.11		Mag90a	
EAM	—————		364° +9°	—E—	—E—				0.17821596	1.17	1.20		Dru+91	
EA	—————		365° +22°	—E—	—E—				0.1782158	1.26	1.00		DeA95	
L ³²	—————		356° +20°	—————	—————				0.17821583	1.2	1.1 ³¹		Ka+02a	
L*	144° +54°		—————	—————	—————				0.1782161	shape ³¹			Ha+11	
Synthesis	144° +54°		—————	—————	—————				0.1782161	1.21	1.1		Synthesis	
355 Gabriella														
L*		+69°	+69°	—————	—————				0.201208	shape ³¹			Dur+09	
L*	197° +70°		341° +78°	—————	—————				0.2012079	shape ³¹			Ha+11	
L	159° +88°		341° +83°	—————	—————				0.20120808	shape ³¹			Mar+12	
Synthesis	159° +88°		341° +83°	—————	—————				0.20120808	shape ³¹			Synthesis	
356 Liguria														
R			Concentric ring region ⁶							-----				Ost87
360 Carlota														
EA	108° +51°		337° +47°	157° -47°	288° -51°				-----	1.57	1.00		Dot+95	
EAM ³²	105° +47°		—————	—E—	—E—				0.2578997	1.42	1.52		Mic+00	
L*	129° +65°		350° +55°	—————	—————				0.2578998	shape ³¹			Dur+09	
Synthesis	115° +55°		345° +52°	—————	—————				0.2578998	1.45	1.25		Synthesis	
364 Isara														
L*	86° +42°		282° +44°	—————	—————				0.3815629	shape ³¹			Ha+13b	
367 Amicitia														
L	30° +52°		217° +59°	—————	—————				0.2106255	shape ³¹			Kry+08	
L*	21° +32°		203° +38°	—————	—————				0.2106258	shape ³¹			Ha+11	
L	23° +50°		208° +56°	—————	—————				0.2106257	shape ³¹			Kry13	
Synthesis	23° +50°		208° +56°	—————	—————				0.2106257	shape ³¹			Synthesis	
371 Bohemia														
L*	93° +49°		256° +43°	—————	—————				0.4474854	shape ³¹			Ha+13a	
Synthesis	93° +49°		256° +43°	—————	—————				0.4474854	shape ³¹			Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
372 Palma													
AM	44° +78°	241° +7°	61° -7°	224° -78°	-----	-----	-----	-----	1.202	1.066		Bla+98	
L	-----	-----	68° +2°	-----	-----	-----	-----	0.35796	1.1	1.3 ³¹		Tor+03	
L*	44° +17°	-----	-----	221° -47°	-----	-----	-----	0.3575787	shape ³¹			Ha+11	
O	44° +17°	-----	-----	221° -47°	-----	-----	-----	0.3575787	shape ³¹			Dur+11	
376 Geometria													
EAM	50° +36°	230° +38°	-----	-----	-----	-----	-----	-----	1.35	1.70		Kry+96	
L	-----	-----	57° -22°	240° -35°	-----	-----	-----	0.3219775	1.0	1.0 ³¹		Mic+05	
L	68° +2°	-----	-----	-----	-----	-----	-----	0.321251	shape ³¹			Tor+08	
L*	63° +53°	239° +45°	-----	-----	-----	-----	-----	0.3212904	shape ³¹			Ha+11	
Synthesis	63° +53°	239° +45°	-----	-----	-----	-----	-----	0.3212904	1.3			Synthesis	
377 Campania													
AM	86° +3°	266° 0°	86° 0°	266° -3°	-----	-----	-----	-----	1.318	0.898		Bla+96 ³⁴	
L	47° +67°	196° +66°	-----	-----	-----	-----	-----	0.4860167	shape ³¹			Mar+08	
Synthesis	47° +67°	196° +66°	-----	-----	-----	-----	-----	0.4860167	shape ³¹			Synthesis	
378 Holmia													
L	130° +60°	286° +76°	-----	-----	-----	-----	-----	0.1850177	shape ³¹			Mar+08	
Synthesis	130° +60°	286° +76°	-----	-----	-----	-----	-----	0.1850177	shape ³¹			Synthesis	
382 Dodona													
EAM ³²	88° +68°	-----	-----	-----	-----	-----	-----	0.17138450	1.54	1.33		Mic+04	
L	83° +64°	248° +55°	-----	-----	-----	-----	-----	0.17138442	1.4	1.3 ³¹		Mic+04	
Synthesis	86° +66°	-----	-----	-----	-----	-----	-----	0.171384	1.5	1.3		Synthesis	
386 Siegena													
AM	56° +14°	-----	-----	236° -14°	-----	-----	-----	-----	1.116	0.776		Bla+98	
L	-----	289° +25°	104° -10°	-----	-----	-----	-----	0.40687625	shape ³¹			Mar+12	
Synthesis	-----	289° +25°	104° -10°	-----	-----	-----	-----	0.40687625	shape ³¹			Synthesis	
389 Industria													
EAM	—E—	—E—	98° -55°	314° -50°	-----	-----	-----	-----	1.26	1.38		Mic93	
AM	-----	307° +52°	127° -52°	-----	-----	-----	-----	-----	1.393	1.245		Bla+98	
390 Alma													
L*	-----	-----	-64°	-64°	0.155882	-----	-----	-----	-----	-----		Dur+09	
L*	-----	-----	-60°	-60°	0.1558816	-----	-----	-----	-----	-----		Ha+11	
L*	-----	-----	53° -50°	275° -76°	0.1558821	-----	-----	-----	shape ³¹			Ha+13a	
Synthesis	-----	-----	53° -50°	275° -76°	0.1558821	-----	-----	-----	shape ³¹			Synthesis	
391 Ingeborg													
L*	-----	-----	-60°	-60°	1.1006	-----	-----	-----	-----	-----		Ha+13b	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
394 Arduina													
L*	————	————			-71°		-71°	0.69258					Dur+09
399 Persephone													
L**	$36^\circ +63^\circ$	————	————	————	————	————	————	0.381099		shape ³¹			Ha+11
400 Ducrosa													
L*	$158^\circ +62^\circ$	$328^\circ +56^\circ$	————	————	————	————	————	0.286162		shape ³¹			Ha+11
Synthesis	$158^\circ +62^\circ$	$328^\circ +56^\circ$	————	————	————	————	————	0.286162		shape ³¹			Synthesis
403 Cyane													
L*	$65^\circ +35^\circ$	$230^\circ +33^\circ$	————	————	————	————	————	0.5112500		shape ³¹			Ha+13a
Synthesis	$65^\circ +35^\circ$	$230^\circ +33^\circ$	————	————	————	————	————	0.5112500		shape ³¹			Synthesis
404 Arsinoe													
L*	$25^\circ +57^\circ$	————	————	————	————	————	————	0.3703192		shape ³¹			Ha+13a
Synthesis	$25^\circ +57^\circ$	————	————	————	————	————	————	0.3703192		shape ³¹			Synthesis
406 Erna													
L*	————	————	$161^\circ -60^\circ$	$357^\circ -49^\circ$	————	————	————	0.3662829		shape ³¹			Ha+13a
Synthesis L*	————	————	$161^\circ -60^\circ$	$357^\circ -49^\circ$	————	————	————	0.3662829		shape ³¹			Synthesis
409 Aspasia													
AM	$73^\circ +48^\circ$	$216^\circ +35^\circ$	$36^\circ -35^\circ$	$253^\circ -48^\circ$	————	————	————	-----	1.137	1.080			Bla+98
L*	$3^\circ +30^\circ$	$177^\circ +15^\circ$	————	————	————	————	————	0.3758939		shape ³¹			War+08
O	$3^\circ +30^\circ$	—O—	————	————	————	————	————	0.3758939		shape ³¹			Dur+11
Synthesis	$3^\circ +30^\circ$	—O—	————	————	————	————	————	-----	1.3	1.0			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
411 Xanthe													
AM	58°	+40°					240°	-55°	-----	1.13	1.77		She+09
413 Edburga													
L*	-----	-----	-----	-----	-----	-----	202°	-45°	0.657146	shape ³¹			Ha+11
Synthesis	-----	-----	-----	-----	-----	-----	202°	-45°	0.657146	shape ³¹			Synthesis
416 Vaticana													
EAM	132°	+58°	310°	+22°	—E—	—E—			0.2238486	1.50 ²	1.19 ²		Mic+00
L*	-----	-----	291°	+12°	-----	-----			0.2238165	shape ³¹			Dur+09
Synthesis	-----	-----	300°	+17°	-----	-----			0.2238165	1.5	1.2		Synthesis
417 Suevia													
L	13°	+23°	186°	+20°	-----	-----			0.2924367	shape ³¹			Mar+12
Synthesis	13°	+23°	186°	+20°	-----	-----			0.2924367	shape ³¹			Synthesis
419 Aurelia													
AM			192°	+34°	13°	-34°			-----	1.28	1.16		Bla+00
423 Diotima													
AM	170°	+63°	345°	+31°	165°	-31°	350°	-63°	-----	1.14	1.50		Za+86b
EA	140°	+55°	-----	-----	—E—	—E—			0.1989448	1.16	1.05		Dot+95
SL	-----	-----	353°	+2°	-----	-----			0.1989740	1.08			Ma+06
L	-----	-----	351°	+4°	-----	-----			0.1989740	shape ³¹			Dur+07
Synthesis	-----	-----	352°	+3°	-----	-----			0.1989740	shape ³¹			Synthesis
432 Pythia													
AM	121°	+65°					301°	-65°	-----	1.37	1.27		Bla+00

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
433 Eros													
V	29°	+22°			—V—				-----				Zes32
A	4°	+45°			184°	-45°			-----				Ros32
AM	2°	+53°			182°	-53°			-----	1.79	1.18		Kru+36
V A					—V—	169°	-62°		-----				Wat37
VEA					moving ³	—E—			0.2195937				Sto40
EA	-7°	+13°			—E—				0.21959390				Bey53
EA	10°	+46°			—E—				0.21959386	4.0	1.0 ¹		Cai56
E	13°	+28°			—E—				-----				Ves71
A	17°	+10°							0.21959				Sc+76b
A	15°	+9°							-----	2.3			Mi+76
E	16°	+12°			—E—				0.219599		shape ⁸		Dun76
A	moving ³								-----	4.0	1.25		Che+77
AM	15°	+20°							-----	2.33	1.00		Lum+81
S	23°	+37°			—S—				-----	2.79	1.03		Dr+85a
E	22°	+9°			—E—				0.219588				Tay85
E	16°	+6°			—E—				-----				Kos86
A					check ⁵				-----				Mi+90b
E									0.219593957				Mag90b
C	19°	+14°	————	————	————	————	————	————	-----		shape ¹⁰		Th+00
L	16°	+9°	————	————	————	————	————	————	0.21959387		shape ³¹		Ka+01
C ^{32, 33}	17°	+11°	————	————	————	————	————	————	0.21959273		shape ¹⁰		Mill+02
Synthesis	17°	+11°	————	————	————	————	————	————	0.219593		shape ¹⁰		Synthesis
435 Ella													
L	59°	+64°	247°	+58°	————	————	————	————	0.19261675		shape ³¹		Mar+12
Synthesis	59°	+64°	247°	+58°	————	————	————	————	0.19261675		shape ³¹		Synthesis
436 Patricia													
L*	————	————	————	————	124°	-30°	339°	-58°	0.672167		shape ³¹		Ha+11
440 Theodora													
L**	————	————	————	————	80°	-88°	————	————	0.201524		shape ³¹		Ha+11
Synthesis	————	————	————	————	80°	-88°	————	————	0.201524		shape ³¹		Synthesis
441 Bathilde													
L*	122°	+43°	285°	+55°	————	————	————	————	0.4351304		shape ³¹		Ha+13a
Synthesis	122°	+43°	285°	+55°	————	————	————	————	0.4351304		shape ³¹		Synthesis
451 Patientia													
AM	153°	+67°	345°	+25°	165°	-25°	333°	-67°	-----	1.07	1.0		Za+86b
L	39°	+21°	163°	+25°	————	————	————	————	0.4058829	1.0	1.0 ³¹		Mic+05
Synthesis	39°	+21°	163°	+25°	————	————	————	————	0.4058829	1.0	1.0		Synthesis
462 Eriphyla													
EAM	————	————	101°	+48°	————	————	289°	+48°	0.3607880	1.2	1.1		Sli+09
L	————	————	108°	+35°	————	————	294°	+34°	0.3607875	1.2	1.3		Sli+09
Synthesis	————	————	106°	+39°	————	————	293°	+39°	0.3607875	1.2	1.2		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
471 Papagena													
AM	21°	+31°					201°	-31°	-----	1.25	1.38		Bla+00
L	29°	+41°	-----	-----	-----	-----	-----	-----	0.296402	shape ³¹			Tor+08
L	-----	-----	222°	+40°	-----	-----	-----	-----	0.296353	shape ³¹			Tor+08
L	-----	-----	235°	+56°	-----	-----	-----	-----	0.296463	shape ³¹			Tor+08
L*	22°	+18°	223°	+67°	-----	-----	-----	-----	0.296474	shape ³¹			Ha+11
O	—O—	-----	223°	+67°	-----	-----	-----	-----	0.296474	shape ³¹			Dur+11
Synthesis	—O—	-----	223°	+67°	-----	-----	-----	-----	0.296474	shape ³¹			Synthesis
484 Pittsburghia													
L*	69°	+47°	-----	-----	-----	-----	-----	-----	0.443740	shape ³¹			Dur+09
L*	70°	+46°	-----	-----	-----	-----	-----	-----	0.443740	shape ³¹			Ha+11
Synthesis	70°	+47°	-----	-----	-----	-----	-----	-----	0.443740	shape ³¹			Synthesis
486 Cremona													
L*	31°	+30°	227°	+59°	-----	-----	-----	-----	2.715	shape ³¹			Ha+11
487 Venetia													
EAM	-----	-----	-----	-----	-----	-----	268°	-24°	0.555897	1.07	2.01		Eri00
EAM	-----	-----	-----	-----	-----	-----	259°	-30°	0.5554876	1.28	1.69		Tun+02
Synthesis	-----	-----	-----	-----	-----	-----	264°	-27°	0.5556	1.17	1.8		Synthesis
495 Eulalia													
Z			224°	+2°	44°	-2°			-----				Bin87
499 Venusia													
L*	37°	+50°	212°	+46°	-----	-----	-----	-----	0.561962	shape ³¹			Ha+11
Synthesis	37°	+50°	212°	+46°	-----	-----	-----	-----	0.561962	shape ³¹			Synthesis
502 Sigune													
L*	-----	-----	-----	-----	-44°	-44°	-----	-----	0.455278	shape ³¹			Ha+13b
505 Cava													
Z	113°	+4°					293°	-10°	-----				You+85
EAM	138°	+40°	325°	+27°	-----	-----	-----	-----	-----	1.22	1.20		Mic96a
L	-----	-----	-----	-----	131°	-21°	304°	-44°	0.34083542	shape ³¹			Mar+12
Synthesis	-----	-----	-----	-----	131°	-21°	304°	-44°	0.34083542	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
507 Laodica													
L**	————	————	102°	-55°	312°	-49°			0.1961071	shape ³¹			Ha+13a
509 Iolanda													
L*	98°	+38°	245°	+65°	————	————			0.5121125	shape ³¹			Ha+13a
510 Mabella													
L*	————	————			-59°	-59°			0.80960				Ha+11
511 Davida													
AM	122°	+10°					302°	-10°	-----				Geh+62
A	————		306°	+34°	126°	-34°	————		-----				Cha+63
E			285°	+45°	—E—				-----				Ves+85
AM	92°	+33°	303°	+34°	123°	-34°	272°	-33°	-----	1.19	1.13		Za+86a
S	—S—		291°	+37°	—S—		—S—		-----	1.30	1.4		Dru+86
AM			307°	+32°	127°	-32°			-----	1.25	1.14		Dru+86
EAM	————		300°	+32°	—E—		—E—		0.21372345	1.25	1.16		Dr+88b
EAM	99°	+26°	299°	+26°	—E—		—E—		0.21372348	1.22	1.13		Mag90a
EAM	————		300°	+32°	—E—		—E—		0.21372345	1.25	1.16		Dru+91
EAM	96°	+32°	303°	+31°	—E—		—E—		0.2137234	1.23	1.12		Mic93
EA			298°	+22°	—E—		—E—		0.21372354	1.24	1.06		DeA95
EA					check ⁵				-----				Lag+95
L	————		303°	+44°	————		————		0.2137236	1.2	1.3 ³¹		Tor+03
SL	————		297°	+26°	————		————		0.2137234	shape ³¹			Ma+06
S	————		297°	+21°	————		————		-----	1.24	1.18		Con+07
Synthesis	————		300°	+25°	————		————		0.2137235	1.24	1.13		Synthesis
512 Taurinensis													
L*	————		324°	+45°	————		————		0.2325846	shape ³¹			Ha+13a
Synthesis	————		324°	+45°	————		————		0.2325846	shape ³¹			Synthesis
516 Amherstia													
EA	75°	+63°	256°	+55°	76°	-55°	255°	-63°	-----	1.82	1.85		DeA95
EAM	76°	+30°							-----	1.53	1.23		Mic96a
EAM	75°	+17°					225°	-17°	0.3116333 ²	1.36	1.82		Mic+00
L*	80°	+53°	253°	+22°	————		————		0.311846	shape ³¹			Dur+09
L*	81°	+54°	254°	+22°	————		————		0.311846	shape ³¹			Ha+11
Synthesis	81°	+54°	254°	+22°	————		————		0.311846	shape ³¹			Synthesis
519 Sylvania													
L*	106°	+9°	————		————		286°	-13°	0.7485292	shape ³¹			Ha+13a
528 Rezia													
L*	————		————		46°	-66°	176°	-59°	0.3057488	shape ³¹			Ha+13a
Synthesis	————		————		46°	-66°	176°	-59°	0.3057488	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
531 Zerlina													
L*	————	————	78°	-84°	————	————	————	————	0.6961375	shape ³¹			Ha+13a
Synthesis	————	————	78°	-84°	————	————	————	————	0.6961375	shape ³¹			Synthesis
532 Herculina													
S							132° -59°	-----		1.21 1.01			Dr+85b
E			96°	-1°				0.3918711		1.0 ¹ 1.0 ¹	X ¹⁹		Tay+87
EAM		284° +34°						0.3918764		1.13 1.05			Kwi+92
EA			87°	-7°				0.3918710		1.24 1.06			DeA95
EAM	————	291° +18°	—E—		—E—			0.3918720		1.21 1.13			Mic+95
A ²⁸		295° +18°						-----		1.21 1.20			Mic96b
E	91° +21°	271° +21°	—E—		—E—			0.3918712					Sza+99
L	————	289° +10°	————		————			0.39187296		1.1 1.2 ³¹			Ka+02a
Synthesis	————	287° +17°	————		————			0.391872		1.2 1.2			Synthesis
534 Nassovia													
EAM	52° +42°	238° +47°	————		————			0.3945380		1.4 1.5			Sli+03
L	58° +50°	244° +51°	————		————			0.3945400		1.3 1.4			Sli+03
EAM	67° +40°	253° +44°	————		————			0.3945377		1.3 1.3			Sli+09
L	57° +54°	244° +54°	————		————			0.3945383		1.3 1.4			Sli+09
L*	66° +41°	252° +42°	————		————			0.3945371		shape ³¹			Ha+11
Synthesis	63° +47°	250° +47°	————		————			0.394537		1.3 1.4			Synthesis
537 Pauly													
AM		290° +40°	110°	-40°				-----		1.25 1.88			Bla+00
540 Rosamunde													
L*		+57°		+57°	————			0.389491					Dur+09
L*	127° +62°	301° +81°	————		————			0.3894913		shape ³¹			Ha+13b
Synthesis	127° +62°	301° +81°	————		————			0.3894913		shape ³¹			Synthesis
543 Charlotte													
L*	172° +49°	333° +59°	————		————			0.4466000		shape ³¹			Ha+13a
Synthesis	172° +49°	333° +59°	————		————			0.4466000		shape ³¹			Synthesis
544 Jetta													
L*	————	————		-66°		-66°		0.322719					Dur+09
L*	————	————	31°	-67°	275°	-84°		0.32272		shape ³¹			Ha+11
Synthesis	————	————	31°	-67°	275°	-84°		0.32272		shape ³¹			Synthesis
550 Senta													
L*	————	————		-64°		-64°		0.85720					Dur+09
L*	————	————		-63°		-63°		0.857192					Ha+11
L*	————	————	63°	-40°	258°	-58°		0.8571917		shape ³¹			Ha+13b
Synthesis	————	————	63°	-40°	258°	-58°		0.8571917		shape ³¹			Synthesis
553 Kundry													
L*	197° +73°	359° +64°	————		————			0.5251042		shape ³¹			Ha+13b
Synthesis	197° +73°	359° +64°	————		————			0.5251042		shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
554 Perago													
R	Concentric ring region ⁶								-----				Ost87
556 Phyllis													
L	35°	+55°	209°	+41°	-----	-----	-----	-----	0.1788592	shape ³¹			Mar+07
Synthesis	35°	+55°	209°	+41°	-----	-----	-----	-----	0.1788592	shape ³¹			Synthesis
572 Rebekka													
L*	158°	+39°	-----	-----	-----	-----	-----	-----	0.2354204	shape ³¹			Ha+13a
Synthesis	158°	+39°	-----	-----	-----	-----	-----	-----	0.2354204	shape ³¹			Synthesis
573 Recha													
L*	-----	-----	-----	-----	74°	-24°	252°	-48°	0.298578	shape ³¹			Ha+11
Synthesis	-----	-----	-----	-----	74°	-24°	252°	-48°	0.298578	shape ³¹			Synthesis
578 Happelia													
L*	-----	-----	339°	+62°	-----	-----	-----	-----	0.4193542	shape ³¹			Ha+13a
Synthesis	-----	-----	339°	+62°	-----	-----	-----	-----	0.4193542	shape ³¹			Synthesis
579 Sidonia													
Z	96°	+7°	-----	-----	-----	-----	276°	-7°	-----				Bin87
584 Semiramis													
EAM	—E—	—E—	—E—	—E—	-----	-----	327°	-55°	0.2112053	1.19	1.28		Dr+88b
EAM	—E—	—E—	—E—	—E—	110°	-40°	320°	-30°	0.211206	1.17	1.1		Mag90a
EAM	—E—	—E—	—E—	—E—	112°	-51°	-----	-----	0.2112062	1.36	1.34		Mic93
EA	—E—	—E—	—E—	—E—	122°	-56°	315°	-43°	0.2112060	1.27	1.14 ²		DeA95
EAM	—E—	—E—	—E—	—E—	-----	-----	334°	-51°	0.2112061	1.25	1.12		Mic96a
L	-----	-----	-----	-----	106°	-39°	-----	-----	0.211205	1.3	1.2 ³¹		Tor+03
L*	-----	-----	-----	-----	106°	-56°	315°	-32°	0.211205	shape ³¹			Ha+11
Synthesis	-----	-----	-----	-----	106°	-56°	315°	-32°	0.211205	1.25	1.12		Synthesis
590 Tomyris													
L*	-----	-----	-----	-----	120°	-46°	273°	-47°	0.231353	shape ³¹			Ha+11
Synthesis	-----	-----	-----	-----	120°	-46°	273°	-47°	0.231353	shape ³¹			Synthesis
600 Musa													
L*	-----	-----	-----	-----	0°	-74°	208°	-46°	0.2452658	shape ³¹			Ha+13a
Synthesis	-----	-----	-----	-----	0°	-74°	208°	-46°	0.2452658	shape ³¹			Synthesis
601 Nerthus													
L**	20°	+32°	173°	+44°	-----	-----	-----	-----	0.566246	shape ³¹			Ha+11
Synthesis	20°	+32°	173°	+44°	-----	-----	-----	-----	0.566246	shape ³¹			Synthesis
606 Brangane													
L*	183°	+20°	354°	+26°	-----	-----	-----	-----	0.512111	shape ³¹			Ha+11
Synthesis	183°	+20°	354°	+26°	-----	-----	-----	-----	0.512111	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
614 Pia													
L*	165°	+32°	354°	+45°	————	————	————	————	0.190779	shape ³¹			Dur+09
L*	162°	+27°	348°	+48°	————	————	————	————	0.19078	shape ³¹			Ha+11
Synthesis	164°	+30°	351°	+47°	————	————	————	————	0.19078	shape ³¹			Synthesis
616 Elly													
L*		+67°		+67°	————	————	————	————	0.220738				Ha+13b
621 Werdandi													
L*	————	————	66°	-77°	247°	-86°	————	————	0.4906067	shape ³¹			Ha+13b
Synthesis	————	————	66°	-77°	247°	-86°	————	————	0.4906067	shape ³¹			Synthesis
622 Esther													
L*	————	————	————	-61°	————	-61°	————	————	1.97934				Ha+11
624 Hektor													
E	————	324°	+10°	—E—	—E—	————	————	0.28843884	shape ⁸			Dun+69	
A		313°	+11°	133°	-11°	————	————	-----	2.00	2.63 ¹¹			Pou81
A		315°	+10°	135°	-10°	————	————	-----	2.02	1.0 ¹			Pou81
EA	144°	+10°	————	————	————	322°	-4°	0.2884382				Mag83	
AM	152°	+29°	314°	+15°	134°	-15°	332°	-29°	-----	2.66	1.13		Zap+84
A D	152°	+27°	315°	+16°	135°	-16°	332°	-27°	-----	2.26	1.35 ²		Pos+85
EA	—E—	—E—	134°	-15°	330°	-30°	0.2883544	2.70	1.43			Mag86	
EAMD		314°	+17°	—E—	—E—	0.288335	2.22	1.19				Uch+87	
E	—E—	—E—	134°	-17°	336°	-32°	0.2883546					Mic88	
EA	—E—	—E—	328°	-26°	0.2883541	2.57	1.30					DeA92	
AMD	152°	+27°	315°	+16°	135°	-16°	332°	-27°	-----	2.26	1.36 ²		Det+92 ²⁵
EAMD	145°	+3°	————	————	325°	-3°	-----	1.0 ¹	1.0 ¹		X ¹⁵	Det+92 ²⁵	
EAMD	149°	+22°	————	————	329°	-22°	-----	shape ¹⁴				Det+92 ²⁵	
EAMD	144°	+11°	————	————	324°	-11°	-----	shape ¹⁴				Det+92 ²⁵	
E	—E—	—E—	133°	-17°	336°	-33°	0.28835459					Det+92 ²⁵	
EA	—E—	—E—	328°	-26°	0.2883541	2.57	1.30					DeA95	
AM	147°	+20°	316°	+3°	136°	-3°	327°	-20°	-----	2.779	1.000		Bla+98
E	—E—	—E—	128°	-14°	308°	-14°	0.28835474					Sza+99	
S	————	————	————	329°	-25°	-----	2.21	1.0				Tan+03	
Synthesis	—E—	—E—	133°	-16°	329°	-25°	0.2883544	2.4	1.0			Synthesis	
628 Christine													
L*	————	————	24°	-61°	209°	-34°	0.673872	shape ³¹				Dur+09	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
629 Bernardina													
L**	40°	+33°	236°	+48°	————	————	————	————	0.156817	shape ³¹			Ha+11
Synthesis	40°	+33°	236°	+48°	————	————	————	————	0.156817	shape ³¹			Synthesis
631 Philippina													
L*	————	————	————	————	————	————	183°	-2°	0.245925	shape ³¹			Ha+11
Synthesis	————	————	————	————	————	————	183°	-2°	0.245925	shape ³¹			Synthesis
636 Erika													
L*	————	————	————	————	————	————	-52°	-52°	0.608648				Dur+09
665 Sabine													
L	————	————	————	————	————	————	310°	-77°	0.1789179	1.3	1.2		Mic+06
Synthesis	————	————	————	————	————	————	310°	-77°	0.1789179	1.3	1.2		Synthesis
669 Kypria													
L*	31°	+40°	189°	+49°	————	————	————	————	0.5949542	shape ³¹			Ha+13a
Synthesis	31°	+40°	189°	+49°	————	————	————	————	0.5949542	shape ³¹			Synthesis
674 Rachele													
EAM	12°	+2°	————	————	————	————	————	————	1.2898610	1.93	1.09		Tun+02
675 Ludmilla													
EAM	—E—	—E—	—E—	—E—	12°	-45°	————	————	0.3215510	1.44	1.89		Vel+95
EAM	—E—	—E—	—E—	—E—	15°	-35°	205°	-50°	0.321551	1.37	1.3		Vel+95
L	————	————	————	————	20°	-36°	215°	-54°	0.3215506	1.3	1.1 ³¹		Tor+03
Synthesis	————	————	————	————	16°	-39°	210°	-52°	0.321551	1.3	1.2		Synthesis
679 Pax													
AM	————	————	245°	+5°	65°	-5°	————	————	-----	1.18	1.30		She+09
L	————	————	220°	+32°	42°	-5°	————	————	0.3523340	shape ³¹			Mar+11
SL	————	————	220°	+32°	————	————	————	————	0.3523340	shape ³¹			Mar+11
Synthesis	————	————	220°	+32°	————	————	————	————	0.3523340	shape ³¹			Synthesis
683 Lanzia													
EA	198°	+55°	342°	+55°	18°	-55°	165°	-55°	-----	1.85	1.00		DeA95
EA	—E—	—E—	—E—	—E—	15°	-52°	195°	-52°	0.1964156	1.15	1.05		Kis+99
Synthesis	—E—	—E—	—E—	—E—	16°	-53°	190°	-53°	0.1964156				Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code	
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c			
685 Hermia														
L**	29°	+79°	197°	+87°	————	————	————	————	2.099458	shape ³¹			Ha+11	
Synthesis	29°	+79°	197°	+87°	————	————	————	————	2.099458	shape ³¹			Synthesis	
690 Wratislavia														
L	177°	+17°	359°	+45°	————	————	————	————	0.3590825	1.1	1.3		Mic+06	
692 Hippodamia														
L*	————	————	————	————	—52°	—52°	————	————	0.374871				Ha+11	
694 Ekard														
R			Concentric ring region ⁶						-----					Ost87
EAM	96°	+32°	————	————	—E—	—E—	————	————	0.246744	1.42	1.38		Dr+88b	
EAM	105°	+29°	267°	+56°	—E—	—E—	————	————	0.2467465 ²	1.45	1.32 ²		Dru+91	
EAM	98°	+40°	————	————	—E—	—E—	————	————	0.2467460	1.46	1.73		Mic93	
EA	86°	+25°	242°	+25°	—E—	—E—	————	————	0.2467459	1.34	1.22 ²		DeA95	
L	————	————	————	————	89°	-48°	————	————	0.2467501	1.2	1.1 ³¹		Tor+03	
Synthesis	98°	+40°	————	————	89°	-48°	————	————	0.2467501	1.3			Synthesis	
695 Bella														
L*	————	————	————	————	87°	-55°	314°	-56°	0.592458	shape ³¹			Ha+11	
699 Hela														
L	45°	+44°	197°	+31°	————	————	————	————	0.14150967	shape ³¹			Mar+12	
Synthesis L	45°	+44°	197°	+31°	————	————	————	————	0.14150967	shape ³¹			Synthesis	
700 Auravictrix														
AM			265°	+56°	86°	-58°	————	————	-----	1.43	1.92		She+09	
L	67°	+46°	269°	+51°	————	————	————	————	0.2531181	shape ³¹			Kry13	
Synthesis	67°	+46°	269°	+51°	————	————	————	————	0.2531181	shape ³¹			Synthesis	
704 Interamnia														
Z	70°	+10°	————	————	————	————	250°	-10°	-----				Har+79	
EAM	—E—	—E—	————	————	43°	-21°	224°	-22°	-----	1.19 ²	1.07		Mic93	
EA	————	————	————	————	47°	-3°	227°	+1°	-----	1.11	1.06		DeA95	
EAM	51°	+22°	————	————	—E—	—E—	————	————	0.3636372	1.11	1.13		Mic+95	
S	36°	+12°	————	————	————	————	————	————	-----	1.14	2.1		Dru+08	
S	47°	+66°	————	————	————	————	————	————	-----	1.03	1.24		Dru+09	
Synthesis	46°	+30°	————	————	————	————	————	————	0.3636372	1.1			Synthesis	
708 Raphaela														
L*	37°	+27°	217°	+22°	————	————	————	————	0.8703917	shape ³¹			Ha+13a	
Synthesis	37°	+27°	217°	+22°	————	————	————	————	0.8703917	shape ³¹			Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
714 Ulula													
L*	—	—	—	—	40°	-4°	225°	-13°	0.291599	shape ³¹			Dur+09
L	—	—	—	—	42°	-9°	227°	-14°	0.2915990	shape ³¹			Mar+11
L*	—	—	—	—	41°	-5°	224°	-10°	0.291599	shape ³¹			Ha+11
Synthesis	—	—	—	—	41°	-6°	225°	-13°	0.2915990	shape ³¹			Synthesis
720 Bohlinia													
EAM ³²	65°	+40°	249°	+37°	—	—	—	—	0.3716084	1.4	1.2		Sli+03
L ³²	40°	+43°	230°	+41°	—	—	—	—	0.3716090	1.4	1.3		Sli+03
Synthesis	48°	+41°	236°	+38°	—	—	—	—	0.3716088	1.4	1.3		Synthesis
725 Amanda													
L*	—	—	—	—	145°	-63°	320°	-70°	0.1559629	shape ³¹			Ha+13a
Synthesis	—	—	—	—	145°	-63°	320°	-70°	0.1559629	shape ³¹			Synthesis
731 Sorga													
L*	83°	+40°	275°	+21°	—	—	—	—	0.3410971	shape ³¹			Ha+13a
Synthesis	83°	+40°	275°	+21°	—	—	—	—	0.3410971	shape ³¹			Synthesis
732 Tjilaki													
L*	160°	+23°	353°	+24°	—	—	—	—	0.5142125	shape ³¹			Ha+13a
733 Mocia													
L*	—	+36°	—	+36°	—	—	—	—	0.4740045				Ha+11
746 Marlu													
L*	—	—	—	—	—	-54°	—	-54°	0.324536				Ha+11
747 Winchester													
EAM	27°	+50°	—	—	—E—	—	—E—	—	-----	1.16	2.60		Mic93
EA	—	—	353°	+39°	173°	-39°	—	—	-----	1.18	1.00		DeA95
L	—	—	—	—	166°	-44°	296°	-61°	0.3922836	shape ³¹			Mar+09
LO	—	—	—	—	—O—	—	304°	-60°	0.3922833	shape ³¹			Dur+11
Synthesis	—	—	—	—	—O—	—	300°	-61°	0.3922835	1.17			Synthesis
753 Tiflis													
L**	5°	+36°	199°	+57°	—	—	—	—	0.409412	shape ³¹			Ha+11
Synthesis	5°	+36°	199°	+57°	—	—	—	—	0.409412	shape ³¹			Synthesis
770 Bali													
L*	68°	+44°	256°	+40°	—	—	—	—	0.242456	shape ³¹			Dur+09
L*	70°	+50°	262°	+45°	—	—	—	—	0.242456	shape ³¹			Ha+11
L	68°	+50°	262°	+45°	—	—	—	—	0.2424559	shape ³¹			Kry13
Synthesis	68°	+50°	262°	+45°	—	—	—	—	0.2424559	shape ³¹			Synthesis
771 Libera													
L	—	—	—	—	64°	-78°	—	—	0.2455925	shape ³¹			Mar+09a
Synthesis	—	—	—	—	64°	-78°	—	—	0.2455925	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
776 Berbericia													
EAM	7°	+20°	————	————	————	————	————	————	0.3194588	1.09	1.30		Eri00
EAM	8°	+23°	————	————	————	————	————	————	0.3194538	1.18	1.18		Tun+02
L	————	————	347°	+12°	————	————	————	————	0.3194587	shape ³¹			Dur+07
L	170°	+59°	347°	+11°	————	————	————	————	0.319449	shape ³¹			Tor+08
Synthesis	————	————	347°	+12°	————	————	————	————	0.3194587	1.14	1.2		Synthesis
784 Pickeringa													
L*	————	+58°	————	+58°	————	————	————	————	0.548746				Ha+11
787 Moskva													
AM	80°	+36°	————	————	————	————	260°	-36°	-----	2.26	1.44		She+09
L*	126°	+27°	331°	+59°	————	————	————	————	0.2523254	shape ³¹			Ha+13a
Synthesis	126°	+27°	331°	+59°	————	————	————	————	0.2523254	shape ³¹			Synthesis
792 Metcalfia													
L*	————	————	————	————	88°	-14°	274°	-13°	0.3824254	shape ³¹			Ha+13a
Synthesis	————	————	————	————	88°	-14°	274°	-13°	0.3824254	shape ³¹			Synthesis
800 Kressmannia													
L*	172°	+34°	345°	+37°	————	————	————	————	0.185873	shape ³¹			Ha+11
L	156°	+56°	328°	+59°	————	————	————	————	0.1858737	shape ³¹			Kry13
Synthesis	156°	+56°	328°	+59°	————	————	————	————	0.1858737	shape ³¹			Synthesis
803 Picka													
L**	53°	+41°	218°	+34°	————	————	————	————	0.2114492	shape ³¹			Ha+13a
Synthesis	53°	+41°	218°	+34°	————	————	————	————	0.2114492	shape ³¹			Synthesis
804 Hispania													
EAM	90°	+28°	————	————	————	————	270°	-28°	-----	1.17	1.92		Mic92
EA	107°	+49°	227°	+50°	47°	-50°	287°	-49°	-----	1.20	2.00		DeA95
807 Ceraskia													
L*	132°	+26°	325°	+23°	————	————	————	————	0.3072458	shape ³¹			Ha+13a
Synthesis	132°	+26°	325°	+23°	————	————	————	————	0.3072458	shape ³¹			Synthesis
808 Merxia													
L*	26°	+54°	192°	+57°	————	————	————	————	1.27625	shape ³¹			Ha+11
Synthesis	26°	+54°	192°	+57°	————	————	————	————	1.27625	shape ³¹			Synthesis
810 Atosa													
L**	12°	+67°	188°	+69°	————	————	————	————	0.182728	shape ³¹			Ha+11
Synthesis	12°	+67°	188°	+69°	————	————	————	————	0.182728	shape ³¹			Synthesis
812 Adele													
L**	154°	+69°	301°	+44°	————	————	————	————	0.2440608	shape ³¹			Ha+13a

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
816 Juliana													
L*	————		304° +10°		124° -8°		————		0.4401125		shape ³¹		Ha+13a
Synthesis	————		304° +10°		124° -8°		————		0.4401125		shape ³¹		Synthesis
819 Barnardiana													
L**	169° +46°		334° +47°		————		————		2.7790833		shape ³¹		Ha+13a
Synthesis	169° +46°		334° +47°		————		————		2.7790833		shape ³¹		Synthesis
823 Sisigambis													
L*		+57°		+57°	————		————		6.1075				Ha+11
825 Tanina													
L	38° +51°		232° +53°		————		————		0.2891587		shape ³¹		Kry+08
L*		+54°		+54°	————		————		0.289159				Dur+09
L*	46° +48°		231° +60°		————		————		0.2891587		shape ³¹		Ha+11
L	42° +49°		231° +56°		————		————		0.2891587		shape ³¹		Kry13
Synthesis	42° +49°		231° +56°		————		————		0.2891587		shape ³¹		Synthesis
832 Karin													
L*	59° +44°		242° +46°		————		————		0.764633		shape ³¹		Ha+11
Synthesis	59° +44°		242° +46°		————		————		0.764633		shape ³¹		Synthesis
847 Agnia													
L*	162° +13°		341° +18°		————		————		0.617696		shape ³¹		Ha+11
Synthesis	162° +13°		341° +18°		————		————		0.617696		shape ³¹		Synthesis
849 Ara													
L*	————		————		17° -10°		213° -33°		0.1715163		shape ³¹		Dur+09
L	————		————		10° -25°		223° -40°		0.1715163		shape ³¹		Mar+09
O	————		————		—O—		223° -40°		0.1715163				Dur+11
Synthesis	————		————		—O—		223° -40°		0.1715163		shape ³¹		Synthesis
852 Wladilena													
A	53° +24°		235° +21°		55° -21°		233° -24°		-----		1.23 1.15		DeA+95
A	30° +30°		210° +30°		30° -30°		210° -30°		-----		2.3 1.2		Kis+99
L*	————		————		46° -53°		181° -48°		0.1922209		shape ³¹		Ha+13a
Synthesis	————		————		46° -53°		181° -48°		0.1922209		shape ³¹		Synthesis
857 Glasenappia													
L*	38° +34°		227° +48°		————		————		0.3419821		shape ³¹		Ha+13a
Synthesis	38° +34°		227° +48°		————		————		0.3419821		shape ³¹		Synthesis
867 Kovacia													
L**	————		————		38° -50°		200° -44°		0.3615862		shape ³¹		Ha+13a
Synthesis	————		————		38° -50°		200° -44°		0.3615862		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
874 Rotraut													
L*	————	————	————	————	2° -36°	201° -41°	————	————	0.5958625	shape ³¹	————	————	Ha+13a
Synthesis	————	————	————	————	2° -36°	201° -41°	————	————	0.5958625	shape ³¹	————	————	Synthesis
875 Nymphe													
L*	42° +31°	196° +42°	————	————	————	————	————	————	0.5258875	shape ³¹	————	————	Ha+13a
Synthesis	42° +31°	196° +42°	————	————	————	————	————	————	0.5258875	shape ³¹	————	————	Synthesis
877 Walkure													
L*	————	————	————	————	————	————	————	————	0.72590	————	————	————	Ha+11
887 Alinda													
EAM	————	————	190° +33°	————	————	————	————	————	3.0760710	1.06	1.56	————	Tun+02
889 Erynia													
L**	————	————	————	————	187° -60°	335° -74°	————	————	0.411454	shape ³¹	————	————	Ha+11
Synthesis	————	————	————	————	187° -60°	335° -74°	————	————	0.411454	shape ³¹	————	————	Synthesis
899 Jokaste													
L*	————	————	————	————	————	-58°	————	————	0.2603383	————	————	————	Ha+11
900 Rosalinde													
L*	90° +39°	276° +70°	————	————	————	————	————	————	0.6952833	shape ³¹	————	————	Ha+13a
915 Cosette													
L*	185° +50°	348° +55°	————	————	————	————	————	————	0.1862392	shape ³¹	————	————	Dur+09
L*	189° +61°	350° +56°	————	————	————	————	————	————	0.1862392	shape ³¹	————	————	Ha+11
L	194° +58°	352° +54°	————	————	————	————	————	————	0.1862392	shape ³¹	————	————	Kry13
Synthesis	194° +58°	352° +54°	————	————	————	————	————	————	0.1862392	shape ³¹	————	————	Synthesis
920 Rogeria													
L**	————	————	————	————	47° -35°	238° -15°	————	————	0.5239542	shape ³¹	————	————	Ha+13a
Synthesis	————	————	————	————	47° -35°	238° -15°	————	————	0.5239542	shape ³¹	————	————	Synthesis
925 Alphonsina													
L*	147° +22°	296° +41°	————	————	————	————	————	————	0.328231	shape ³¹	————	————	Ha+11
O	—O—	294° +41°	————	————	————	————	————	————	0.328231	————	————	————	Dur+11
Synthesis	—O—	294° +41°	————	————	————	————	————	————	0.328231	shape ³¹	————	————	Synthesis
934 Thuringia													
L**	————	————	————	————	120° -52°	————	————	————	0.340222	shape ³¹	————	————	Ha+11
Synthesis	————	————	————	————	120° -52°	————	————	————	0.340222	shape ³¹	————	————	Synthesis
936 Kunigunde													
L**	47° +57°	234° +50°	————	————	————	————	————	————	0.3677721	shape ³¹	————	————	Ha+13b
Synthesis	47° +57°	234° +50°	————	————	————	————	————	————	0.3677721	shape ³¹	————	————	Synthesis
937 Bethgea													
L	128° +70°	305° +79°	————	————	————	————	————	————	0.3141319	shape ³¹	————	————	Kry13
Synthesis	128° +70°	305° +79°	————	————	————	————	————	————	0.3141319	shape ³¹	————	————	Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
944 Hidalgo													
L	————		281°	+5°	————		————		0.4191097		shape ³¹		Dur+07
Synthesis L	————		281°	+5°	————		————		0.4191097		shape ³¹		Synthesis
951 Gaspra													
EAM	20°	+22°	198°	+13°	—E—		—E—		0.2934197	1.6	1.1		Mag+92
C	15°	+16°	—C—		—C—		—C—		-----				Dav+92
EA	19°	+20°	————		—E—		—E—		0.2934194	1.59	1.10		DeA92
AMF	15°	+24°							-----	shape ^{13, 12, 17}			Bar+92
C	19°	+21°	—C—		—C—		—C—		-----				Da+94a
C	19°	+21°	—C—		—C—		—C—		-----	shape			Tho+94
E C									0.2934177				Sim+95
EA	19°	+20°	————		—E—		—E—		0.2934194	1.75	1.00		DeA95
L	20°	+19°	————		————		————		0.2934191	shape ³¹			Ka+01
EAM	20°	+26°							0.2934170	1.58	1.23		Tun+02
L*	20°	+23°	198°	+15°	————		————		0.2934178	shape ³¹			Ha+13b
Synthesis	19°	+21°	————		————		————		0.293418	shape ²⁶			Synthesis
958 Asplinda													
L*	41°	+48°	226°	+35°	————		————		1.0543750	shape ³¹			Ha+13a
Synthesis	41°	+48°	226°	+35°	————		————		1.0543750	shape ³¹			Synthesis
966 Muschi													
L*	————		————				-57°		-57°	0.223138			Dur+09
984 Gretia													
AM	46°	+47°	48°	+12°	228°	-12°	226°	-47°	-----	2.25	1.00		Bla+00
L	————		245°	+52°	————		————		0.2407510	shape ³¹			Mar+09a
Synthesis	————		245°	+52°	————		————		0.2407510	shape ³¹			Synthesis
994 Otthild													
L*	————		————		41°	-39°	183°	-50°	0.2478413	shape ³¹			Ha+13a
Synthesis	————		————		41°	-39°	183°	-50°	0.2478413	shape ³¹			Synthesis
1002 Olbersia													
L**	16°	+54°	220°	+35°	————		————		0.426529	shape ³¹			Ha+11
Synthesis	16°	+54°	220°	+35°	————		————		0.426529	shape ³¹			Synthesis
1003 Lilofee													
L**		+65°		+65°	————		————		0.343746				Ha+13b
1010 Marlene													
L*		+46°		+46°	————		————		1.29442				Ha+11
1012 Sarema													
L*	51°	+64°	254°	+53°	————		————		0.429462	shape ³¹			Dur+09
L*	45°	+67°	253°	+63°	————		————		0.429462	shape ³¹			Ha+11

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
1022 Olympiada													
L*	40°	+18°	250°	+71°	————	————	————	————	0.159733	shape ³¹			War+08
L*	46°	+10°	242°	+52°	————	————	————	————	0.159733	shape ³¹			Ha+11
1036 Ganymed													
E	Prograde rotation								0.42951				Lu+87b
E	Retrograde rotation												Hah+89
L	————	————	————	————	————	208°	-76°	————	0.42967	1.0	1.5 ³¹		Ka+02a
Synthesis	————	————	————	————	————	208°	-76°	————	0.42967	1.0	1.5		Synthesis
1040 Klumpkea													
L**	172°	+48°	————	————	————	————	————	————	2.3578333	shape ³¹			Ha+13a
Synthesis	172°	+48°	————	————	————	————	————	————	2.3578333	shape ³¹			Synthesis
1056 Azalea													
L*	64°	+41°	252°	+51°	————	————	————	————	0.6261500	shape ³¹			Ha+13a
Synthesis	64°	+41°	252°	+51°	————	————	————	————	0.6261500	shape ³¹			Synthesis
1087 Arabis													
L*	155°	+12°	————	————	————	————	334°	-7°	0.241459	shape ³¹			Ha+11
1088 Mitaka													
L*	————	————	————	————	115°	-46°	278°	-72°	0.1264740	shape ³¹			Dur+09
L*	————	————	————	————	————	————	280°	-71°	0.1264740	shape ³¹			Ha+11
L	————	————	————	————	125°	-53°	285°	-66°	0.1264742	shape ³¹			Kry13
Synthesis	————	————	————	————	125°	-53°	285°	-66°	0.1264742	shape ³¹			Synthesis
1102 Pepita													
L**	————	————	————	————	25°	-34°	231°	-30°	0.212722	shape ³¹			Ha+11
Synthesis	————	————	————	————	25°	-34°	231°	-30°	0.212722	shape ³¹			Synthesis
1103 Sequoia													
L*	————	————	————	————	————	-48°	————	-48°	0.1265823				Ha+11
1111 Reinmuthia													
L*	153°	+78°	356°	+68°	————	————	————	————	0.1669728	shape ³¹			Ha+13a
Synthesis	153°	+78°	356°	+68°	————	————	————	————	0.1669728	shape ³¹			Synthesis
1126 Otero													
L*	44°	+75°	240°	+56°	————	————	————	————	0.1520000	shape ³¹			Ha+13a
Synthesis	44°	+75°	240°	+56°	————	————	————	————	0.1520000	shape ³¹			Synthesis
1130 Skuld													
L*	24°	+36°	200°	+35°	————	————	————	————	0.2003183	shape ³¹			Ha+13a
Synthesis	24°	+36°	200°	+35°	————	————	————	————	0.2003183	shape ³¹			Synthesis
1140 Crimea													
L*	————	————	————	————	12°	-73°	175°	-22°	0.407787	shape ³¹			Ha+11

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1148 Rarahu													
L**	————	————	148°	-9°	322°	-9°	0.272687	shape ³¹					Ha+11
Synthesis	————	————	148°	-9°	322°	-9°	0.272687	shape ³¹					Synthesis
1160 Illyria													
L**	+47°	+47°	————	————	————	————	0.170956						Ha+13b
1185 Nikko													
L*	+46°	+46°	————	————	————	————	0.157756						Ha+11
1188 Gothlandia													
L*	————	————	————	————	-52°	-52°	0.1454925						Dur+09
L*	————	————	————	————	-63°	-63°	0.1454925						Ha+11
L	————	————	104°	-77°	————	————	0.1454925	shape ³¹					Kry13
L*	————	————	————	————	334°	-84°	0.1454925	shape ³¹					Ha+13a
Synthesis	————	————	104°	-77°	334°	-84°	0.1454925	shape ³¹					Synthesis
1192 Prisma													
L*	————	————	————	————	-65°	-65°	0.273265						Ha+13b
1207 Ostenia													
L*	————	————	————	————	-57°	-57°	0.377970						Dur+09
L*	————	————	124°	-51°	310°	-77°	0.377970	shape ³¹					Ha+11
Synthesis	————	————	124°	-51°	310°	-77°	0.377970	shape ³¹					Synthesis
1214 Richilde													
L*	————	————	————	————	-59°	-59°	0.4111195						Ha+11
1219 Britta													
E	————	————	————	————	Retrograde rotation		0.232290						Bin+87
L	————	————	164°	-79°	————	————	0.2323152	shape ³¹					Kry13
Synthesis	————	————	164°	-79°	————	————	0.2323152	shape ³¹					Synthesis
1223 Neckar													
EAM ³²	70°	+45°	225°	+42°	—E—	—E—	0.3232105	1.47	1.28				Mic+00
EAM	73°	+45°	258°	+42°	————	————	0.3258850	1.6	1.3				Sli+03
L	73°	+44°	259°	+41°	————	————	0.3258850	1.5	1.4				Sli+03
L*	69°	+30°	252°	+28°	————	————	0.3260004	shape ³¹					Ha+11
Synthesis	72°	+40°	256°	+38°	————	————	0.3258850	1.5	1.3				Synthesis
1241 Dysona													
L*	————	————	125°	-68°	————	————	0.3586408	shape ³¹					Ha+13a
1249 Rutherfordia													
L*	32°	+74°	197°	+65°	————	————	0.7590958	shape ³¹					Ha+13a
1263 Varsavia													
L**O	————	————	————	————	341°	-14°	0.298539	shape ³¹					Dur+11
Synthesis	————	————	————	————	341°	-14°	0.298539	shape ³¹					Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1270 Datura													
L*		+59°		+59°	————	————	————	————	0.1399208		shape ³¹		Dur+09
L	60°	+76°	264°	+77°	————	————	————	————	0.1399208		shape ³¹		Vok+10
Synthesis	60°	+76°	264°	+77°	————	————	————	————	0.1399208		shape ³¹		Synthesis
1276 Uccia													
L**	————	————	————	————			49°	-49°	0.204478				Ha+13b
1282 Utopia													
L*	————	————	————	————			-39°	-39°	0.567617				Ha+11
1286 Banachiewiczza													
L**	64°	+60°	214°	+62°	————	————	————	————	0.3596013		shape ³¹		Ha+13b
Synthesis	64°	+60°	214°	+62°	————	————	————	————	0.3596013		shape ³¹		Synthesis
1289 Kutaissi													
EAM	————	————	————	————	172°	-74°	342°	-76°	0.15100724	1.3	1.0		Sli+09
L	————	————	————	————	158°	-79°	338°	-74°	0.15100725	1.2	1.1		Sli+09
Synthesis	————	————	————	————	164°	-76°	340°	-75°	0.15100724	1.2	1.1		Synthesis
1291 Phryne													
L*	106°	+35°	277°	+59°	————	————	————	————	0.2326725		shape ³¹		Ha+11
Synthesis	106°	+35°	277°	+59°	————	————	————	————	0.2326725		shape ³¹		Synthesis
1301 Yvonne													
L**	39°	+41°	————	————	————	————	————	————	0.3049867		shape ³¹		Ha+11
Synthesis	39°	+41°	————	————	————	————	————	————	0.3049867		shape ³¹		Synthesis
1307 Crimeria													
L*		+63°		+63°	————	————	————	————	0.1175301				Ha+13b
1317 Silvretta													
L*	————	————	————	————	45°	-67°	161°	-46°	0.2944987		shape ³¹		Ha+13a
1333 Cevenola													
L*	————	————	————	————	38°	-86°	220°	-44°	0.203305		shape ³¹		Ha+11
1339 Desagneauxa													
L**		+65°		+65°	————	————	————	————	0.390629				Ha+13b
1350 Rosselia													
L*	————	————	————	————			-58°	-58°	0.339171				Ha+11
1353 Maartje													
L**	92°	+57°	266°	+73°	————	————	————	————	0.9580250		shape ³¹		Ha+13b
Synthesis	92°	+57°	266°	+73°	————	————	————	————	0.9580250		shape ³¹		Synthesis
1368 Numidia													
L*	————	————	————	————			-50°	-50°	0.1516975				Ha+11

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
1378 Leonce												
L**	————	————	————	————	46°	-77°	210°	-67°	0.1802196	shape ³¹		Ha+13b
Synthesis	————	————	————	————	46°	-77°	210°	-67°	0.1802196	shape ³¹		Synthesis
1379 Lomonosowa												
L*	————	————	————	————	————	-62°	————	-62°	1.020188			Ha+11
1382 Gerti												
L*	87°	+28°	268°	+23°	————	————	————	————	0.1283978	shape ³¹		Ha+11
Synthesis	87°	+28°	268°	+23°	————	————	————	————	0.1283978	shape ³¹		Synthesis
1386 Storeria												
L*	————	————	————	————	227°	-67°	297°	-67°	0.3615812	shape ³¹		Ha+13a
Synthesis	————	————	————	————	227°	-67°	297°	-67°	0.3615812	shape ³¹		Synthesis
1389 Onnie												
L*	————	————	————	————	————	-56°	————	-56°	0.960196			Ha+11
L*	————	————	————	————	0°	-79°	183°	-75°	0.9601958	shape ³¹		Ha+13a
Synthesis	————	————	————	————	0°	-79°	183°	-75°	0.9601958	shape ³¹		Synthesis
1393 Sofala												
L**	134°	+41°	319°	+28°	————	————	————	————	0.6913792	shape ³¹		Ha+13a
1396 Outeniqua												
L*	————	+62°	————	+62°	————	————	————	————	0.128406			Ha+13b
1401 Lavonne												
L*	27°	+44°	204°	+23°	————	————	————	————	0.1638587	shape ³¹		Ha+13a
Synthesis	27°	+44°	204°	+23°	————	————	————	————	0.1638587	shape ³¹		Synthesis
1419 Danzig												
L*	22°	+76°	193°	+62°	————	————	————	————	0.338315	shape ³¹		Ha+11
Synthesis	22°	+76°	193°	+62°	————	————	————	————	0.338315	shape ³¹		Synthesis
1423 Jose												
L**	————	————	————	————	78°	-82°	————	————	0.5130292	shape ³¹		Ha+13b
Synthesis	————	————	————	————	78°	-82°	————	————	0.5130292	shape ³¹		Synthesis
1432 Ethiopia												
L*	41°	+44°	225°	+54°	————	————	————	————	0.4101771	shape ³¹		Ha+13a
Synthesis	41°	+44°	225°	+54°	————	————	————	————	0.4101771	shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c	Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0				
1436 Salonta												
L*	57°	+35°	223°	+18°	————	————	————	————	0.3695771	shape ³¹		Ha+13a
Synthesis	57°	+35°	223°	+18°	————	————	————	————	0.3695771	shape ³¹		Synthesis
1446 Sillanpaa												
L*	129°	+76°	288°	+63°	————	————	————	————	0.4024396	shape ³¹		Ha+13b
Synthesis	129°	+76°	288°	+63°	————	————	————	————	0.4024396	shape ³¹		Synthesis
1450 Raimonda												
L**	————	————	————	————	71°	-60°	231°	-56°	0.5264333	shape ³¹		Ha+13a
Synthesis	————	————	————	————	71°	-60°	231°	-56°	0.5264333	shape ³¹		Synthesis
1464 Armisticia												
L*	————	————	————	————	35°	-69°	194°	-54°	0.3111246	shape ³¹		Ha+13b
1472 Muonio												
L*	42°	+62°	249°	+61°	————	————	————	————	0.3627262	shape ³¹		Ha+13a
1482 Sebastiana												
L*	————	————	————	————	91°	-67°	262°	-68°	0.4370687	shape ³¹		Ha+11
Synthesis	————	————	————	————	91°	-67°	262°	-68°	0.4370687	shape ³¹		Synthesis
1490 Limpopo												
L*	142°	+2°	319°	+22°	————	————	————	————	0.2771517	shape ³¹		Ha+13a
Synthesis	142°	+2°	319°	+22°	————	————	————	————	0.2771517	shape ³¹		Synthesis
1493 Sigrid												
L**	————	+78°	————	+78°	————	————	————	————	1.7991			Ha+13b
1495 Helsinki												
L*	————	————	————	————	————	————	355°	-39°	0.2221379	shape ³¹		Ha+13a
Synthesis	————	————	————	————	————	————	355°	-39°	0.2221379	shape ³¹		Synthesis
1503 Kuopio												
L**	————	————	————	————	27°	-61°	170°	-86°	0.4149417	shape ³¹		Ha+13b
1514 Ricouxa												
L*	————	+71°	————	+71°	————	————	————	————	0.434361			Dur+09
L*	68°	+69°	251°	+75°	————	————	————	————	0.434362	shape ³¹		Ha+11
1518 Rovaniemi												
L*	62°	+60°	265°	+45°	————	————	————	————	0.2187696	shape ³¹		Ha+13a
Synthesis	62°	+60°	265°	+45°	————	————	————	————	0.2187696	shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1527 Malmquista													
L**	————		274° +80°	————	————				0.5857958		shape ³¹		Ha+13b
1528 Conrada													
L*	————		————	93° -66°	250° -51°				0.2633975		shape ³¹		Ha+13a
Synthesis	————		————	93° -66°	250° -51°				0.2633975		shape ³¹		Synthesis
1554 Yugoslavia													
L*	————		————	78° -64°	281° -34°				0.1619858		shape ³¹		Ha+13a
Synthesis	————		————	78° -64°	281° -34°				0.1619858		shape ³¹		Synthesis
1559 Kustaanheimo													
L**	94° +33°		275° +29°	————	————				0.1793479		shape ³¹		Ha+13a
Synthesis	94° +33°		275° +29°	————	————				0.1793479		shape ³¹		Synthesis
1566 Icarus													
E	49°	0°	229°	0°					0.09471				Geh+70
EA			214°	+5°					0.094735	1.23	1.40		DeA95
Synthesis			214°	+5°					0.094735	1.23	1.40		Synthesis
1568 Aisleen													
L**	————		————	109° -68°	————				0.2781654		shape ³¹		Ha+11
Synthesis	————		————	109° -68°	————				0.2781654		shape ³¹		Synthesis
1572 Posnania													
EAM ³²	————		————	46° -65°	————				0.3353931	1.35	1.04		Mic+01
L*	————		————	85° -63°	205° -82°				0.3353937		shape ³¹		Ha+13a
Synthesis	————		————	55° -65°	————				0.3353931	1.35	1.04		Synthesis
1580 Betulia													
A			140° +20°		320° -20°			-----			1.21 ¹⁰		Ted+78
EAM	80° +12°			212° -5°					0.2565	1.7	1.4		Dru+90
L	136° +22°		————	————	————				0.255765	1.1	1.4 ³¹		Ka+04
R	136° +22°		————	————	————				0.255765		shape ³⁰		Mag+07
Synthesis	136° +22°		————	————	————				0.255765	1.1	1.4		Synthesis
1607 Mavis													
L*	0° +59°		222° +70°	————	————				0.2561563		shape ³¹		Ha+13a
Synthesis	0° +59°		222° +70°	————	————				0.2561563		shape ³¹		Synthesis
1618 Dawn													
L**	————		————	39° -60°	215° -51°				1.8007917		shape ³¹		Ha+13b
Synthesis	————		————	39° -60°	215° -51°				1.8007917		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1619 Ueta													
L*	+39°		+39°	————	————				0.1132476				Ha+13b
1620 Geographos													
E			—E—	20°	−60°				0.2176378		shape ⁸		Dun74
A				check ⁵					-----				Mi+90b
EAM			—E—	15°	−77°				0.2176342	2.7	1.05		Kwi94
EAM			—E—	15°	−77°				0.2176390	2.7	1.05		Kwi94
EAM			—E—	54°	−52°				0.21763867	2.6	1.1		Mic+94
EA			—E—	54°	−52°				0.21763866	2.5	1.1		Kwi95
EA			—E—	54°	−52°				0.21764381	2.5	1.1		Kwi95
EAM	—E—		—E—	56°	−47°	————			0.21763860	2.58	1.00		Mag+96
R	————		————	55°	−46°	————			0.21763863	2.5	1.0 ²⁹		H+O99
L	————		————	55°	−45°	————			0.21763858		shape ³¹		Ka+01
Synthesis	————		————	55°	−46°	————			0.21764	2.6	1.1		Synthesis
1623 Vivian													
L**	————		————		−75°		−75°		0.855146				Ha+13b
1627 Ivar													
E				Prograde rotation					0.19991				Lup+86
E	147°	+13°	333°	+18°					0.199953				Ve+89a ²³
EA	110°	+20°	320°	+40°					0.19995				Hah+89
E	—E—		—E—	143°	−37°				0.1999154				Kis+99
A	145°	+34°	325°	+34°	145°	−34°	325°	−34°	-----	2.0	1.09		Kis+99
L	————		333°	+43°	————		————		0.1997987	1.9	1.3 ³¹		Ka+04
Synthesis	————		333°	+43°	————		————		0.1997987	1.9	1.3		Synthesis
1630 Milet													
L*	121°	+40°	304°	+34°	————		————		1.3535417		shape ³¹		Ha+13a
Synthesis	121°	+40°	304°	+34°	————		————		1.3535417		shape ³¹		Synthesis
1633 Chimay													
L*	116°	+81°	322°	+77°	————		————		0.2746100		shape ³¹		Ha+13b
Synthesis	116°	+81°	322°	+77°	————		————		0.2746100		shape ³¹		Synthesis
1634 Ndola													
L*	66°	+34°	261°	+45°	————		————		2.6772917		shape ³¹		Ha+13a
Synthesis	66°	+34°	261°	+45°	————		————		2.6772917		shape ³¹		Synthesis
1635 Bohrmann													
L*	————		————	5°	−38°	185°	−36°		0.244345		shape ³¹		Ha+11
Synthesis	————		————	5°	−38°	185°	−36°		0.244345		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1659 Punkaharju													
L*	————	————	75°	-22°	259°	-71°	0.208886	shape ³¹				Ha+11	
Synthesis	————	————	75°	-22°	259°	-71°	0.208886	shape ³¹				Synthesis	
1665 Gaby													
L*	+49°	+49°	————	————	————	————	2.82938					Ha+11	
1675 Simonida													
L	23°	+58°	227°	+54°	————	————	0.2203317	shape ³¹				Kry13	
Synthesis	23°	+58°	227°	+54°	————	————	0.2203317	shape ³¹				Synthesis	
1682 Karel													
L**	51°	+41°	232°	+32°	————	————	0.140619	shape ³¹				Ha+11	
Synthesis	51°	+41°	232°	+32°	————	————	0.140619	shape ³¹				Synthesis	
1685 Toro													
EA			200°	+55°	—E—		0.42481	3.2				Dun+73	
EA			220°	+30°	—E—		0.424808	2.08	1.80			DeA95	
Synthesis			210°	+43°	—E—		0.424808	2.1	1.8			Synthesis	
1691 Oort													
L**	45°	+68°	223°	+58°	————	————	0.42785	shape ³¹				Ha+13b	
Synthesis	45°	+68°	223°	+58°	————	————	0.42785	shape ³¹				Synthesis	
1703 Barry													
L**	————	————	46°	-76°	221°	-71°	4.4600	shape ³¹				Ha+13b	
Synthesis	————	————	46°	-76°	221°	-71°	4.4600	shape ³¹				Synthesis	
1704 Wachmann													
L**	90°	+40°	267°	+41°	————	————	0.1380796	shape ³¹				Ha+13a	
Synthesis	90°	+40°	267°	+41°	————	————	0.1380796	shape ³¹				Synthesis	

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1709 Ukraina													
L*	—	—	2°	-40°	165°	-61°			0.304382		shape ³¹		Ha+11
1715 Salli													
L*	—	—	95°	-24°	254°	-48°			0.4620279		shape ³¹		Ha+13a
1719 Jens													
L*	—	—		-56°		-56°			0.24459				Ha+11
L*	—	—	55°	-42°	286°	-88°			0.2445900		shape ³¹		Ha+13a
Synthesis	—	—	55°	-42°	286°	-88°			0.2445900		shape ³¹		Synthesis
1738 Oosterhoff													
L**	—	—		-72°		-72°			0.185373				Ha+13b
1742 Schaifers													
L*	47°	+55°	198°	+57°	—	—			0.355529		shape ³¹		Ha+11
1747 Wright													
L**	—	—	227°	+31°	—	—			0.220332		shape ³¹		Ha+11
1785 Wurm													
L*	11°	+57°	192°	+47°	—	—			0.1362225		shape ³¹		Ha+13a
1805 Dirikis													
L**	4°	+48°	188°	+61°	—	—			0.9772625		shape ³¹		Ha+13b
1835 Gajdariya													
L**	34°	+74°	204°	+69°	—	—			0.2640700		shape ³¹		Ha+13b
Synthesis	34°	+74°	204°	+69°	—	—			0.2640700		shape ³¹		Synthesis
1837 Osita													
L**	—	—	167°	-64°	352°	-54°			0.1591162		shape ³¹		Ha+13a
1838 Ursa													
L**	+47°	—	+47°	—	—	—			0.673479				Ha+13b
1862 Apollo													
EA	—	—	56°	-26°	—	—			0.1277265				Har+87
EA	—	—	38°	-36°	—	—			0.127754	2.08	1.80		DeA95
L	—	—	50°	-71°	—	—			0.1277269		shape ³¹		Ka+07
L	—	—	48°	-72°	—	—			0.1277270		shape ³¹		Dur+08
Synthesis	—	—	48°	-72°	—	—			0.1277270		shape ³¹		Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
1889 Pakhmutova													
L**	_____	_____	_____	_____	22°	-76°	167°	-40°	0.729821	shape ³¹			Ha+11
1905 Ambartsumian													
L**	_____	_____	_____	_____	52°	-64°	241°	-68°	3.8397083	shape ³¹			Ha+13a
Synthesis	_____	_____	_____	_____	52°	-64°	241°	-68°	3.8397083	shape ³¹			Synthesis
1927 Suvanto													
L*	74°	+73°	278°	+23°	_____	_____	_____	_____	0.3400642	shape ³¹			Ha+13a
1930 Lucifer													
L*	32°	+17°	_____	_____	_____	_____	211°	-19°	0.54390	shape ³¹			Ha+11
1933 Tinchen													
L**	113°	+26°	309°	+36°	_____	_____	_____	_____	0.1529425	shape ³¹			Ha+13a
1950 Wempe													
L*	_____	_____	_____	_____	90°	-41°	258°	-45°	0.6998042	shape ³¹			Ha+13a
1963 Bezovec													
L**	_____	_____	219°	+7°	_____	_____	_____	_____	0.7568958	shape ³¹			Ha+13a
Synthesis	_____	_____	219°	+7°	_____	_____	_____	_____	0.7568958	shape ³¹			Synthesis
1980 Tezcatlipoca													
L	_____	_____	_____	_____	_____	_____	334°	-66°	0.302177	1.4	1.4 ³¹		Ka+04
Synthesis	_____	_____	_____	_____	_____	_____	334°	-66°	0.302177	1.4	1.4		Synthesis
1987 Kaplan													
L*	_____	_____	_____	_____	_____	_____	357°	-58°	0.3941458	shape ³¹			Ha+13b
1996 Adams													
L**	107°	+55°	_____	_____	_____	_____	_____	_____	0.1379642	shape ³¹			Ha+13a
Synthesis	107°	+55°	_____	_____	_____	_____	_____	_____	0.1379642	shape ³¹			Synthesis
2001 Einstein													
L*	_____	_____	_____	_____	-51°	_____	-51°	_____	0.228542	_____	_____		Ha+11
2002 Euler													
L*	30°	+44°	188°	+47°	_____	_____	_____	_____	0.2496933	shape ³¹			Ha+13a
Synthesis	30°	+44°	188°	+47°	_____	_____	_____	_____	0.2496933	shape ³¹			Synthesis
2017 Wesson													
L	159°	+81°	356°	+79°	_____	_____	_____	_____	0.1423157	shape ³¹			Kry13
Synthesis	159°	+81°	356°	+79°	_____	_____	_____	_____	0.1423157	shape ³¹			Synthesis
2063 Bacchus													
R	_____	_____	_____	_____	24°	-26°	_____	_____	0.652	shape ³⁰			Ben+99
Synthesis	_____	_____	_____	_____	24°	-26°	_____	_____	0.652	shape ³⁰			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model a/b b/c		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0					
2086 Newell													
L*	————	————	————	————	—60°	—60°	————	————	3.254	————	————	————	Ha+13b
2094 Magnitka													
L**	107°	+57°	272°	+48°	————	————	————	————	0.2546746	shape ³¹	————	————	Ha+13a
Synthesis	107°	+57°	272°	+48°	————	————	————	————	0.2546746	shape ³¹	————	————	Synthesis
2100 Ra-Shalom													
L	73°	+13°	————	————	————	————	————	————	0.824992	1.2	1.3 ³¹	————	Ka+04
Synthesis	73°	+13°	————	————	————	————	————	————	0.824992	1.2	1.3	————	Synthesis
2112 Ulyanov													
L**	156°	+48°	334°	+65°	————	————	————	————	0.1266962	shape ³¹	————	————	Ha+13a
2156 Kate													
L*	49°	+74°	————	————	————	————	————	————	0.234256	shape ³¹	————	————	Ha+11
L	30°	+73°	237°	+64°	————	————	————	————	0.2342532	shape ³¹	————	————	Kry13
Synthesis	30°	+73°	237°	+64°	————	————	————	————	0.2342532	shape ³¹	————	————	Synthesis
2384 Schulhof													
L**	————	————	————	————	45°	−42°	196°	−60°	0.1372363	shape ³¹	————	————	Ha+13a
2430 Bruce Helin													
L*	————	————	————	————	177°	−68°	————	————	5.4062500	shape ³¹	————	————	Ha+13b
Synthesis	————	————	————	————	177°	−68°	————	————	5.4062500	shape ³¹	————	————	Synthesis
2510 Shandong													
L*	71°	+27°	256°	+27°	————	————	————	————	0.2477662	shape ³¹	————	————	Ha+13a
Synthesis	71°	+27°	256°	+27°	————	————	————	————	0.2477662	shape ³¹	————	————	Synthesis
2606 Odessa													
L*	————	————	————	————	25°	−81°	283°	−88°	0.3435167	shape ³¹	————	————	Ha+13a
2617 Jiangxi													
L**	1°	+54°	224°	+76°	————	————	————	————	0.4905417	shape ³¹	————	————	Ha+13a
2709 Sagan													
L*	————	————	————	————	124°	−35°	302°	−14°	0.2190150	shape ³¹	————	————	Ha+13a
Synthesis	————	————	————	————	124°	−35°	302°	−14°	0.2190150	shape ³¹	————	————	Synthesis
2839 Annette													
L*	————	————	————	————	154°	−36°	341°	−49°	0.4358708	shape ³¹	————	————	Ha+13a
Synthesis	————	————	————	————	154°	−36°	341°	−49°	0.4358708	shape ³¹	————	————	Synthesis
2867 Steins													
L	————	————	————	————	————	————	250°	−89°	0.2519504	1.16	1.08 ³¹	————	Lam+08
Synthesis	————	————	————	————	————	————	250°	−89°	0.2519504	1.16	1.08	————	Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
2957 Tatsuo													
L*	81°	+45°	248°	+32°	————	————	————	————	0.2841846	shape ³¹			Ha+13a
Synthesis	81°	+45°	248°	+32°	————	————	————	————	0.2841846	shape ³¹			Synthesis
2991 Bilbo													
L*	90°	+51°	277°	+54°	————	————	————	————	0.1692396	shape ³¹			Ha+13a
3017 Petrovic													
L*	————	————	————	————	————	————	—73°	—73°	0.170015				Ha+13b
3097 Tacitus													
L**	72°	+62°	229°	+71°	————	————	————	————	0.3656625	shape ³¹			Ha+13a
3103 Eger													
E	Prograde rotation								0.2377819				Vel+92
L	————	————	————	————	10°	—50°	————	————	0.23778217	1.5	1 ³¹		Ka+02a
Synthesis	————	————	————	————	10°	—50°	————	————	0.23778217	1.5	1		Synthesis
3170 Dzhanibekov													
L**	21°	+64°	217°	+60°	————	————	————	————	0.2529867	shape ³¹			Ha+13a
3199 Nefertiti													
L	————	————	————	————	————	————	197°	—22°	0.12584029	1.1	1.1 ³¹		Ka+04
Synthesis	————	————	————	————	————	————	197°	—22°	0.12584029	1.1	1.1		Synthesis
3200 Phaeton													
EAM	—E—	—E—	97°	—11°	276°	—15°	————	————	0.1496080 ²				Kru+02
Synthesis	—E—	—E—	97°	—11°	276°	—15°	————	————	0.1496080				Synthesis
3279 Solon													
L*	————	————	————	————	————	————	268°	—70°	0.3376792	shape ³¹			Ha+13b
Synthesis	————	————	————	————	————	————	268°	—70°	0.3376792	shape ³¹			Synthesis
3492 Petra-Pepi													
L*	————	————	9°	—57°	202°	—16°	————	————	1.9404167	shape ³¹			Ha+13b
3678 Mongmanwai													
L*	————	————	————	————	————	————	125°	—65°	0.174290	shape ³¹			Ha+11
Synthesis	————	————	————	————	————	————	125°	—65°	0.174290	shape ³¹			Synthesis
3722 Urata													
L*	————	————	77°	—9°	260°	—22°	————	————	0.2319625	shape ³¹			Ha+13a
Synthesis	————	————	77°	—9°	260°	—22°	————	————	0.2319625	shape ³¹			Synthesis
3896 Pordenone													
L*	————	————	————	————	————	————	—32°	—32°	0.166819				Ha+13b

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
3908 Nyx													
EAM	177°	+23°	312°	+61°	—E—	—E—			0.18441	1.3	1.2 ²		Dru+90
R	43°	+71°			—	—					shape ³⁰		Ben+02
L			291°	+69°	—	—			0.1844208	1.2	1.0 ³¹		Ka+04
Synthesis	43°	+71°	291°	+69°	—	—			0.1844208	1.2	1.0		Synthesis
4179 Toutatis													
R					Precessing				-----	2.10	1.35 ²⁹		H+O95
4209 Briggs													
L*					-56°	-56°			0.510542				Ha+13b
4399 Ashizuri													
L*					45°	-61°	266°	-48°	0.1179292		shape ³¹		Ha+13b
Synthesis					45°	-61°	266°	-48°	0.1179292		shape ³¹		Synthesis
4479 Kaidanovkij													
L**		+54°	+54°						0.797725				Ha+13b
4483 Petofi													
L*	107°	+40°							0.1805412		shape ³¹		Ha+11
4486 Mithra													
R			337°	+19°	154°	-19°			2.81	1.44	1.15		Bro+10
4507 1990 FV													
L**	143°	+55°	323°	+49°					0.2741387		shape ³¹		Ha+13a
4606 Saheki													
L*	44°	+59°	222°	+68°					0.2072279		shape ³¹		Ha+13b
Synthesis	44°	+59°	222°	+68°					0.2072279		shape ³¹		Synthesis
4611 Vulkaneifel													
L**					5°	-86°	197°	-50°	0.1565146		shape ³¹		Ha+13a
4660 Nereus													
R	25°	+80°							0.631	1.55	1.37		Bro+09
Synthesis	25°	+80°							0.631	1.55	1.37		Synthesis
4769 Castalia													
R							253°	-56°	0.17038				Hud+97
R					62°	-7°			0.17058				Hud+97
EAM							253°	-56°	0.17038				Eri+00
EAM			242°	+7°					0.17058				Eri+00
Synthesis							235°	-56°	0.17058				Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
4954 Eric													
L*	————	————	86°	-54°	————	————	————	————	0.5021696	shape ³¹			Ha+13a
Synthesis	————	————	86°	-54°	————	————	————	————	0.5021696	shape ³¹			Synthesis
4957 Bruce Murray													
L	————	————	————	————	————	358°	-50°	————	0.120510	1.1	1.1 ³¹		Ka+04
Synthesis	————	————	————	————	————	358°	-50°	————	0.120510	1.1	1.1		Synthesis
4979 Otawara													
EAM	————	————	50°	-30°	————	————	————	————	0.112776	1.21			For+03
Synthesis	————	————	50°	-30°	————	————	————	————	0.112776	1.2			Synthesis
5145 Pholus													
EAM	149°	+26°	————	————	————	337°	-5°	————	0.4159256	1.8	1.0		Far+01
5281 Lindstrom													
L*	————	————	84°	-81°	238°	-72°	————	————	0.3854625	shape ³¹			Ha+13a
Synthesis	————	————	84°	-81°	238°	-72°	————	————	0.3854625	shape ³¹			Synthesis
5461 Autumn													
L**	————	————	79°	-43°	249°	-26°	————	————	0.8372042	shape ³¹			Ha+13a
5587 1990 SB													
L	————	————	————	————	————	253°	-60°	————	0.210508	2.0	1.2 ³¹		Ka+04
Synthesis	————	————	————	————	————	253°	-60°	————	0.210508	2.0	1.2		Synthesis
5625 1991 AO2													
L**	————	————	97°	-78°	265°	-52°	————	————	0.2780879	shape ³¹			Ha+13a
5647 1990 TZ													
L**	————	253°	+77°	119°	-19°	————	————	————	0.255778	shape ³¹			Ha+13a
5960 Wakkanai													
L**	————	————	69°	-61°	226°	-69°	————	————	0.2067858	shape ³¹			Ha+13a
6053 1993 BW3													
E	—E—	—E—	175°	-9°	359°	-26°	————	————	0.107238 ²	1.08	1.5		Pra+97
L	178°	+10°	————	————	————	358°	-8°	————	0.107246	1.1	1.6 ³¹		Ka+02a
L	————	————	180°	-6°	345°	-14°	————	————	0.107238 ²	shape ³¹			Dur02
Synthesis	————	————	178°	-7°	354°	-16°	————	————	0.10723	1	1.5		Synthesis
6070 Rheinland													
L	————	————	4°	-76°	————	————	————	————	0.1780712	shape ³¹			Vok+11
Synthesis	————	————	4°	-76°	————	————	————	————	0.1780712	shape ³¹			Synthesis
6159 1991 YH													
L*	62°	+67°	266°	+67°	————	————	————	————	0.4441250	shape ³¹			Ha+13b
6149 Brett													
L*	————	————	————	-42°	————	-42°	————	————	0.391929				Ha+13b

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
6262 Javid													
L*	93°	+76°	275°	+69°	————	————	————	————	0.3341892	shape ³¹			Ha+13b
6403 Steverin													
L*	109°	+73°	246°	+77°	————	————	————	————	0.1454662	shape ³¹			Ha+13b
6489 Golevka													
EA			345°	+45°					0.25109	1.25			Mot+97
EA			350°	+25°					0.25111	1.6	0.7	X ³⁵	Mot+97
EA							190°	-55°	0.25123	1.25			Mot+97
EA							200°	-55°	0.25125	1.6	1.2	X ³⁵	Mot+97
R	————	————	————	————	————	————	202°	-45°	0.251204	1.01	1.0 ^{29,30}		Hud+00
L	————	————	————	————	————	————	208°	-47°	0.251238	shape ³¹			Ka+01
Synthesis	————	————	————	————	————	————	205°	-46°	0.25122	1.0	1.0		Synthesis
7043 Godart													
L*	73°	+62°	235°	+80°	————	————	————	————	0.3521583	shape ³¹			Ha+13b
Synthesis	73°	+62°	235°	+80°	————	————	————	————	0.3521583	shape ³¹			Synthesis
7055 1989 KB													
L*	————	————	————	————	————	————	-61°	-61°	0.173699				Ha+13b
7169 Linda													
L*	————	————	————	————	11°	-60°	198°	-61°	1.1610000	shape ³¹			Ha+13b
7201 Kuritariku													
L**	22°	+67°	249°	+64°	————	————	————	————	2.0353750	shape ³¹			Ha+13a
7360 Moberg													
L*	————	————	————	————	————	————	-18°	-18°	0.191055				Ha+13b
7517 1989 AD													
L*	————	————	————	————	123°	-51°	314°	-60°	0.4045583	shape ³¹			Ha+13a
7632 Stanislav													
L**	————	————	————	————	46°	-45°	234°	-50°	0.2204471	shape ³¹			Ha+13a
7905 Juzoitami													
L**	————	————	————	————	105°	-76°	226°	-55°	0.1136433	shape ³¹			Ha+13a
8132 Vitginzburg													
L*	————	————	————	————	33°	-66°	193°	-48°	0.3031371	shape ³¹			Ha+13a
Synthesis	————	————	————	————	33°	-66°	193°	-48°	0.3031371	shape ³¹			Synthesis

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
8359 1989 WD													
L*	————	————	121°	-68°	274°	-68°			0.1204596	shape ³¹			Ha+13a
Synthesis	————	————	121°	-68°	274°	-68°			0.1204596	shape ³¹			Synthesis
9969 Braille													
C	————	314° +65°	————	————	————	————	————	————	-----	2.1	1.0		Ob+01
10115 1992 SK													
RL	————	————	99°	-3°	————	————	————	————	0.30493	shape ³⁰			Bus+06
Synthesis	————	————	99°	-3°	————	————	————	————	0.30493	shape ³⁰			Synthesis
10772 1990 YM													
L*	16° +46°	————	————	————	————	————	————	————	2.8675000	shape ³¹			Ha+13a
10826 1993 SK16													
L**	————	————	60°	-34°	260°	-56°	————	————	0.5763625	shape ³¹			Ha+13a
13002 1982 BJ13													
L**	————	————	58°	-50°	245°	-57°	————	————	0.1307683	shape ³¹			Ha+13a
16009 1999 CM8													
L**	————	283° +44°	————	————	————	————	————	————	0.3478167	shape ³¹			Ha+13a
16847 Sanpoloamosciano													
L**	————	————	91°	-24°	————	————	————	————	0.3410208	shape ³¹			Ha+13a
19848 Yeungchuchiu													
L**	————	————	————	————	190°	-68°	————	————	0.1437933	shape ³¹			Ha+13a
25143 Itokawa													
L	————	————	————	————	355°	-84°	————	————	0.50550	2.0	1.3 ³¹		Ka+03
EA	————	————	39°	-87°	————	————	————	————	0.50550	1.9	1.2		Ka+03
EA	————	————	————	————	320°	-75°	————	————	-----	2.13	1.68		Oh+03
C	————	————	128°	-89°	————	————	————	————	-----	1.82	1.41 ³⁷		De+06
L	————	————	————	————	269°	-89°	————	————	0.50551	shape ³¹			Dur+08
Synthesis	————	————	————	-88°	————	-89°	————	————	0.50551	1.9	1.3 ³⁸		Synthesis
26792 1975 LY													
L**	————	226° +68°	————	————	————	————	————	————	3.2979167	shape ³¹			Ha+13a

Basic data	Spin vector solutions (ecliptic coordinates of equinox 1950)								Sidereal period (days)	Ellipsoidal model		Albedo varieg.	Reference code
	λ_0	β_0	λ_0	β_0	λ_0	β_0	λ_0	β_0		a/b	b/c		
29075 1950 DA													
R	89°	+78°	————	————	187°	-89°	-----	-----	-----	shape ³⁰			Bus+07
295016 2008 EV5													
X					Retrograde rotation		-----	-----	-----				Bus+10
R	0°	+84°	————	————	180°	-84°	-----	-----	-----	1.02	1.05		Bus+11
Synthesis	————	————	————	————	180°	-84°	-----	-----	-----	1.02	1.05		Synthesis
31383 1998 XJ94													
L*	————	————	————	————	110°	-74°	279°	-63°	0.1736742	shape ³¹			Ha+13a
33342 1998 WT24													
T	175°	+52°	————	————			355°	-52°	-----			³⁹	Har+07
R	————	————	————	————	15°	-22°	————	————	0.1540416	1.09	1.10 ²⁹		Bus+08
Synthesis	————	————	————	————	15°	-22°	————	————	0.1540416	1.09	1.10		Synthesis
52820 1998 RS2													
L*	————	————	————	————	58°	-48°	228°	-57°	0.0889217	shape ³¹			Ha+13a
57394 2001 RD84													
L*	65°	+68°	241°	+59°	————	————	————	————	0.2799958	shape ³¹			Ha+13a

Footnotes:

- ¹ Assumed value.
- ² Mean value of two significantly different solutions.
- ³ Different spin axis solutions for different apparitions was interpreted as indicating a precessing motion.
- ⁴ Symmetric solution obtained, but quantitative specification is missing.
- ⁵ Consistency check of previous spin vector determinations.
- ⁶ Based on a radar experiment giving constraints on the aspect angle at the time of observation.
- ⁷ Based on two radar experiments giving an aspect circle at the time of observation.
- ⁸ Modelled as a cylinder with hemispherical ends.
- ⁹ Modelled as a cylinder cut out of a sphere.
- ¹⁰ Complex shape.
- ¹¹ Modelled as a Jacobi ellipsoid.
- ¹² Modelled as 8 octants of ellipsoids put together to form a continuous surface.
- ¹³ Modelled as an ellipsoid with a piece removed by a plane cut.
- ¹⁴ Modelled as an irregular polyhedron.
- ¹⁵ Modelled as a sphere with free albedo facets.
- ¹⁶ Results show that there is no significant albedo variegation.
- ¹⁷ Modelled using a spherical harmonics expansion of the shape.
- ¹⁸ Albedo model with a single big spot.
- ¹⁹ Modelled as a sphere with 2 dark regions.
- ²⁰ Speckle images showing albedo variegation.
- ²¹ Bi-axial ellipsoid (a/b=1.15) with a flat region just off the South Pole.
- ²² Also presented in Ful+91.
- ²³ Also presented in English in Lup+90.
- ²⁴ Also presented in Mi+90c.

- 25 Also presented in Det+94.
- 26 Detailed model from space images.
- 27 Also presented in Mic94.
- 28 The spin axis is not aligned with the c-axis of the ellipsoid model.
- 29 DEEVE - dynamicaly equivalent equal volume ellipsoid adopted for the complex shape.
- 30 Complex radar model.
- 31 Convex shape obtained with lightcurve inversion.
- 32 Pole coordinates calculated for J2000.
- 33 Values for pole coordinates in the paper are 17.238, 11.351
- 34 Also presented in Bla+98.
- 35 Model requires albedo variegation
- 36 Suggested albedo variegations of 4%
- 37 Values for pole coordinates in the paper are 128.5, -89.66
- 38 Because of latitude close to 90 deg, longitude is ambiguous
- 39 Crude approximation of the spin axis orientation